



G E O
SPECIALTY CHEMICALS

Material Safety Data Sheet

Section 1 - Chemical Product and Company Information

PRODUCT NAME: UltraPAC® 1103
SYNONYMS: Water and Wastewater Treatment Coagulant/Flocculant
SUPPLIER: GEO Specialty Chemicals
ADDRESS: 9213 Arch Street Pike, Little Rock, AR 72206

<u>NFPA Rating</u>		<u>HMIS Rating</u>	
HEALTH:	2	HEALTH:	2
FLAMMABILITY:	0	FLAMMABILITY:	0
REACTIVITY:	0	REACTIVITY:	0

EMERGENCY TELEPHONE NUMBER: CHEMTREC 1-800-424-9300

EMERGENCY OVERVIEW

Corrosive Liquid! Clear, colorless to yellow liquid with no appreciable odor. May cause skin and eye irritation that can become severe on prolonged contact. May be harmful if swallowed. Inhalation of spray or mist may irritate respiratory tract.

Section 2 - Composition Information

<u>INGREDIENTS</u>	<u>CAS NO.</u>	<u>% WT/WT</u>	<u>PEL</u>	<u>TLV</u>	<u>SOLUBLE SALTS:</u>
Trade Secret Ingredients	Trade Secret	100	*15 *5	mg/m³ (TD) mg/m³ (RF)	*2 mg/m³ (TWA)

*Aluminum metal, (as Al)

LISTED AS CARCINOGEN BY:

IARC: NO NTP: NO
OSHA: NO ACGIH: NO

PEL:	OSHA Permissible Exposure Limit	TWA: Time Weighted Average, 8-hr	TD:	Total dust
STEL:	Short Term Exposure Limit	TLV: ACGIH Threshold Limit	ND:	Nuisance dust
HI:	Hazardous Ingredient	C.LIM: Ceiling Limit	INP:	Inhalable Particulate
OM:	Oil mist	WF: Wax fume	RF:	Respirable fraction
ST:	Skin TWA			

IMPORTANT: While Brenntag believes the information contained herein to be accurate, Brenntag makes no representation or warranty, express or implied, regarding, and assumes no liability for, the accuracy or completeness of the information. The Buyer assumes all responsibility for handling, using and/or reselling the Product in accordance with the applicable federal, state, and local law. This MSDS shall not in any way limit or preclude the operation and effect of any of the provisions of Brenntag's terms and conditions of sale.

Section 3 - Hazards Identification

ROUTES OF EXPOSURE

INHALATION: Inhalation of mist or spray may irritate respiratory tract.
SKIN CONTACT: Expected to be irritating especially on prolonged contact or repeated contact.
SKIN ABSORPTION: No Data
EYE CONTACT: Direct eye contact may cause irritation, redness, swelling and pain that can be come severe on prolonged contact. Prolonged exposure to Aluminum salts may cause conjunctivitis.
INGESTION: May cause irritation of gastrointestinal tract, nausea and vomiting.

EFFECTS OF OVEREXPOSURE

ACUTE OVEREXPOSURE: Possible eye, skin and respiratory tract irritation.
CHRONIC OVEREXPOSURE: May aggravate existing skin, eye, and lung conditions. Persons with kidney disorders have an increased risk from exposure based on general information found on aluminum salts.

Section 4 - First Aid Measures

EYES: Immediately flush with plenty of water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire surface. Washing within one minute is essential to achieve maximum effectiveness. Seek medical attention.
SKIN: Wash thoroughly with soap and water, remove contaminated clothing and footwear. Wash clothing before reuse. Get medical attention if irritation should develop.
INHALATION: Remove victim from contaminated area to fresh air immediately. Get immediate medical attention.
INGESTION: Do not induce vomiting. Give large amounts of water followed by milk if available. If vomiting should occur spontaneously, keep airway clear. Get medical attention. Never give anything by mouth to an unconscious person.
NOTES TO PHYSICIAN: Aluminum soluble salts may cause gastroenteritis if ingested. Treatment includes the use of demulcents. Note: Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Fire Fighting Measures

FLASHPOINT: NAPL	FLAMMABLE LIMITS IN AIR, % BY VOLUME:
AUTOIGNITION TEMPERATURE: NAPL	LOWER FLAMMABILITY LIMIT: NAPL
EXTINGUISHING MEDIA: Water Spray, Carbon Dioxide, Foam, Dry Chemical.	UPPER FLAMMABILITY LIMIT: NAPL

FIRE OR EXPLOSION HAZARDS: May produce hazardous fumes or hazardous decomposition products.
FIRE FIGHTING PROCEDURES: Product is a water solution and nonflammable. In a fire, this product may build up pressure and rupture a sealed container; cool exposed containers with water spray. Use self-contained breathing apparatus in confined areas; avoid breathing vapors or dust.

Section 6 - Accidental Release Measures

Stop leaks. Clean up spill immediately. Build dikes as necessary to contain flow of large spills. Do not allow liquid to enter stream or waterways. For small spills, use soda ash or lime to neutralize, an inert material to absorb, or wash product to a chemical sewer. Place contaminated materials into containers and store in a safe place to await proper disposal. Wear adequate personal protective clothing and equipment. Caution use of soda ash or lime may generate carbon dioxide gas. Provide adequate ventilation to spill area. Approved breathing apparatus may be necessary.

Section 7 - Handling and Storage

PRECAUTIONARY STATEMENTS:

CAUTION!

CORROSIVE LIQUID!

MAY CAUSE IRRITATION.

Avoid contact with eyes, skin, and clothing.

Avoid breathing mist or spray.

Wear chemical splash goggles, gloves, and protective clothing when handling.

Use with adequate ventilation and employ respiratory protection where mist or spray may be generated.

Wash thoroughly after handling.

Do not take internally.

May be harmful if swallowed or inhaled.

Keep away from heat and open flame.

Keep container closed when not in use.

FOR INDUSTRIAL USE ONLY.

HANDLING/STORAGE REQUIREMENTS:

Store in a cool, dry place away from direct heat. Keep container tightly closed when not in use. Do not store in unlined metal containers. Product may slowly corrode iron, brass, copper, aluminum and mild steel.

Section 8 - Exposure Controls/Personal Protection

VENTILATION REQUIREMENTS: Local exhaust ventilation recommended.

EYE PROTECTION: Chemical splash goggles and/or face shield.

SKIN PROTECTION: Chemical resistant gloves.

RESPIRATORY PROTECTION: When exposures exceed the PEL, use NIOSH/MSHA approved respirator in accordance with OSHA Respiratory Protection Requirements under 29 CFR 1910.134.

OTHER REQUIRED EQUIPMENT: Standard work clothing and work shoes. Safety shower and eyewash located in immediate area.

IMPORTANT: While Brenntag believes the information contained herein to be accurate, Brenntag makes no representation or warranty, or implied, regarding, and assumes no liability for, the accuracy or completeness of the information. The Buyer assumes all responsibility for handling, using and/or reselling the Product in accordance with the applicable federal, state, and local law. This MSDS shall not in any way limit or preclude the operation and effect of any of the provisions of Brenntag's terms and conditions of sale.

Section 9 - Physical and Chemical Properties

APPEARANCE:	Clear to slightly hazy, colorless to yellow liquid		
ODOR:	No appreciable odor		
SOLUBILITY IN WATER:	Complete	pH:	0.5 – 2.0
SPECIFIC GRAVITY (WATER=1):	1.35 - 1.39	DENSITY @ 25°C:	11.3 - 11.6 lb/gal
BOILING POINT:	NAV	MELTING POINT:	NAV
FREEZING POINT:	NAV	EVAPORATION RATE:	NAV
VAPOR PRESSURE:	NAV	VAPOR DENSITY (AIR=1):	NAV
VISCOSITY:	<100 cps	VOLATILES BY WEIGHT:	45 - 55% (Water)

Section 10 - Stability and Reactivity

STABLE: YES

HAZARDOUS POLYMERIZATION: NO

CONDITIONS TO AVOID: NONE

INCOMPATIBLE MATERIALS: Product is incompatible with alkalis.

DECOMPOSITION PRODUCTS: Thermal decomposition may release toxic and/or hazardous gases such as Cl₂ and HCl.

Section 11 Toxicological Information

Test data is based on a product of similar composition.

Conclusions are drawn from sources other than direct testing.

This product is expected to be an irritant to the skin, eyes and mucous membrane. Irritation may become severe on prolonged contact.

Section 12 - Ecological Information

BOD5:	mg O2/mg:	NAV
	ppm:	NAV
	Biodegradable, %:	NAV
BOD28:	mg O2/mg:	NAV
	ppm:	NAV
	Biodegradable, %:	NAV
COD:	mg O2/mg:	NAV
	ppm:	NAV
	Biodegradable, %:	NAV

Aquatic Toxicity:

Not Available

Section 13 - Disposal Considerations

Dispose of in accordance with all applicable federal, state and local regulations.

Section 14 - Transportation Information

DOT Proper Shipping Name:
UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (POLYALUMINUM CHLORIDE SOLUTION), 8, PG III,
ERG # 154

Harmonized Tariff Schedule Number: 3824.90.9290

Section 15 - Regulatory Information

This product does not contain any ingredients subject to the reporting requirements of SARA Title III,
Section 313 (40 CFR Part 372).

SARA Section 311/312: Acute and Chronic Health Hazard and Reactive Hazard.

TSCA: Components found in TSCA Inventory.

Section 16 - Other Information

PREPARER'S NAME:	Michael R. Oldfield
PREPARER'S TITLE:	Enhanced Aluminum Products Manager
PREPARER'S TELEPHONE NUMBER:	(501) 888-1211
REFERENCE NUMBER:	3229M
LAST REVISION DATE:	2/19/09

The information herein is given in good faith but no warranty, expressed or implied, is made.

Legend

NAV = Not Available; NAPL = Not Applicable; NTES = None Established; TRSC = Trade Secret

IMPORTANT: While Brenntag believes the information contained herein to be accurate, Brenntag makes no representations, express or implied, regarding, and assumes no liability for, the accuracy or completeness of the information. The Buyer assumes all responsibility for handling, using, and/or reselling the Product in accordance with the applicable federal, state, and local law. This MSDS shall not in any way limit or preclude the operation and effect of any of the provisions of Brenntag's terms and conditions of sale.