



# 50653

## SMOKEHOUSE CLEANER




### Danger

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.



### Storage:

Store locked up.

Store in a corrosive resistant, container with a resistant inner liner.

### Disposal:

Dispose of contents or container in accordance with local and national regulations.

### Directions:

FOR INDUSTRIAL USE ONLY: Contact your sales representative for product usage.

### Dilutions:

1-10% typical

### Prevention:

Keep only in original container.

Do not breathe dust, fume, mist, vapors or spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves, eye protection, face protection.

### Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

IF INHALED: Call a poison center or doctor or physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

Immediately call a POISON CENTER, doctor or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

### Storage:

Store locked up.

Store in a corrosive resistant, container with a resistant inner liner.

### Disposal:

Dispose of contents or container in accordance with local and national regulations.





## Safety Data Sheet (SDS)

50653

SDS Revision Date: 12/10/2019

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Identity 50653

Alternate Names 50653

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Contact ChemStation representative.

Application Method Contact ChemStation representative.

#### 1.3. Details of the supplier of the safety data sheet

Company Name ChemStation N.W. Ohio  
950 Industry Avenue  
Lima, OH 45804

#### Emergency

CHEMTREC (USA) (800) 424-9300

Customer Service: ChemStation N.W. Ohio (419) 230-3021

### 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

Met. Corr. 1;H290 May be corrosive to metals.  
Acute Tox. 4;H302 Harmful if swallowed.  
Skin Corr. 1A;H314 Causes severe skin burns and eye damage.

#### 2.2. Label elements



Danger

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

#### [Prevention]:

P234 Keep only in original container.

P260 Do not breathe dust, fume, mist, vapors or spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, eye protection, face protection.

#### [Response]:

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+312 IF INHALED: Call a poison center or doctor or physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER, doctor or physician.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

**[Storage]:**

P405 Store locked up.

P406 Store in a corrosive resistant, container with a resistant inner liner.

**[Disposal]:**

P501 Dispose of contents or container in accordance with local and national regulations.

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Sodium hydroxide CAS Number: 0001310-73-2	25 - 50	Skin Corr. 1A;H314 Met. Corr. 1;H290	[1][2]
D-gluco-Heptonic acid, monosodium salt, (2.xi.)- CAS Number: 0031138-65-5	1.0 - 10	Skin Irrit. 2;H315 Eye Irrit. 2;H319	[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] FBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

### Section 4. First-aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

**Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.  
Check section 2.2 (GHS Label Elements) for further details.

**Skin** Causes severe skin burns and eye damage.

**Ingestion** Harmful if swallowed.

### Section 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Keep only in original container.

Do not breathe dust, fume, mist, vapors or spray.

#### 5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water ways.

## Section 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

## Section 7. Handling and storage

### 7.1. Precautions for safe handling

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Any acidic material, ammonia, urea, oxidizable materials and metals such as nickel, copper, tin, aluminum and iron.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

### 7.3. Specific end use(s)

No data available.

## Section 8. Exposure controls / personal protection

### 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
0001310-73-2	Sodiumhydroxide	OSHA	TWA 2 mg/m <sup>3</sup>
		ACGIH	Ceiling: 2 mg/m <sup>3</sup>
		NIOSH	C2 mg/m <sup>3</sup>
		Supplier	No Established Limit
0031138-65-5	D-gluco-Heptonic acid, monosodiumsalt, (2.xi.)-	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

#### Carcinogen Data

CAS No.	Ingredient	Source	Value
0001310-73-2	Sodiumhydroxide	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		Supplier	No Established Limit
0031138-65-5	D-gluco-Heptonic acid, monosodiumsalt, (2.xi.)-	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No

**8.2. Exposure controls**

<b>Respiratory</b>	Use NIOSH/MSHA approved respirator, following manufacturer's recommendations when concentrations exceed permissible exposure limits.
<b>Eyes</b>	Wear approved eye protection. The use of a face shield is also recommended for skin protection in the area of the eyes. An eye wash station is suggested as a good workplace practice.
<b>Skin</b>	Chemical resistant clothing such as coveralls/apron boots should be worn. Chemical Impervious Gloves
<b>Engineering Controls</b>	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
<b>Other Work Practices</b>	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

**Section 9. Physical and chemical properties**

<b>Appearance</b>	Brown liquid
<b>Odor</b>	Mild, soap
<b>Odor threshold</b>	Not Measured
<b>pH</b>	13.7 - 14.0
<b>Melting point / freezing point</b>	Not Measured
<b>Initial boiling point and boiling range</b>	212 deg F
<b>Flash Point</b>	>200 degrees F PMCC (non-flammable)
<b>Evaporation rate (Ether = 1)</b>	0.33
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
<b>Vapor pressure (Pa)</b>	Not Determined
<b>Vapor Density</b>	Not Determined
<b>Relative Density</b>	1.373 - 1.383
<b>Solubility in Water</b>	Not Measured
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	Not Measured
<b>Decomposition temperature</b>	Not Measured
<b>Viscosity (cSt)</b>	Not Measured
<b>Foaming</b>	Moderate

**9.2. Other information**

No other relevant information.

**Section 10. Stability and reactivity****10.1. Reactivity**

Hazardous Polymerization will not occur.

**10.2. Chemical stability**

Stable under normal circumstances.

**10.3. Possibility of hazardous reactions**

No data available.

**10.4. Conditions to avoid**

No data available.

**10.5. Incompatible materials**

Any acidic material, ammonia, urea, oxidizable materials and metals such as nickel, copper, tin, aluminum and iron.

**10.6. Hazardous decomposition products**

No hazardous decomposition data available.

## Section 11. Toxicological information

### Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Sodiumhydroxide - (1310-73-2)	325.00, Rabbit - Category: 4	Nb data available	Nb data available	No data available	Nb data available
D-gluco-Heptonic acid, monosodium salt, (2.xi.)- - (31138-65-5)	No data available	Nb data available	No data available	No data available	Nb data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	4	Harmful if swallowed.
Acute toxicity (dermal)	—	Not Applicable
Acute toxicity (inhalation)	—	Not Applicable
Skin corrosion/irritation	1A	Causes severe skin burns and eye damage.
Serious eye damage/irritation	—	Not Applicable
Respiratory sensitization	—	Not Applicable
Skin sensitization	—	Not Applicable
Germ cell mutagenicity	—	Not Applicable
Carcinogenicity	—	Not Applicable
Reproductive toxicity	—	Not Applicable
STOT-single exposure	—	Not Applicable
STOT-repeated exposure	—	Not Applicable
Aspiration hazard	—	Not Applicable

## Section 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Sodiumhydroxide - (1310-73-2)	125.00, Garbusia affinia	40.40, Ceriodaphnia sp.	Not Available
D-gluco-Heptonic acid, monosodium salt, (2.xi.)- - (31138-65-5)	Not Available	Not Available	Not Available

### 12.2. Persistence and degradability

This product is fully biodegradable.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

## Section 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## Section 14. Transport information

14.1. UN number	NA1760
14.2. UN proper shipping name	Compound, Cleaning, Liquid, (Sodium Hydroxide)
14.3. Transport hazard class(es)	8
14.4. Packing group	III

## Section 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

**Toxic Substance Control Act (TSCA)** All components of this material are either listed or exempt from listing on the TSCA Inventory.

**WHMIS 1988 Classification** E

**US EPA Tier II Hazards**

Fire:  
Sudden Release of Pressure:  
Reactive:  
Immediate (Acute):  
Delayed (Chronic):

**EPCRA 311/312 Chemicals and RQs (lbs):**

Sodium hydroxide (1,000.00)

**EPCRA 302 Extremely Hazardous:**  
(No Product Ingredients Listed)

**EPCRA 313 Toxic Chemicals:**  
(No Product Ingredients Listed)

**Proposition 65 - Carcinogens (>0.0%):**  
(No Product Ingredients Listed)

**Proposition 65 - Developmental Toxins (>0.0%):**  
(No Product Ingredients Listed)

**Proposition 65 - Female Repro Toxins (>0.0%):**  
(No Product Ingredients Listed)

**Proposition 65 - Male Repro Toxins (>0.0%):**  
(No Product Ingredients Listed)

**N.J. RTK Substances (>1%):**

Sodium hydroxide

**Penn RTK Substances (>1%):**

Sodium hydroxide

## Section 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

End of Document



## *Self-Foaming, High Alkaline Concentrate*

# 50653

Conforms to USDA Guidelines - A-2

### PRODUCT DESCRIPTION

- ◆ ChemStation Product 50653 is a highly concentrated, self-foaming, highly alkaline cleaner formulated specifically for use as a smokehouse cleaner and other applications requiring high alkalinity.
- ◆ Product 50653 can be used to remove a wide range of soils on stainless steel, walls, floors, piping and other hard-to-reach areas.
- ◆ This product is suitable for use in portable foamers and pressure washers. It is not recommended for use on aluminum or soft metals.
- ◆ Product 50653 generates a thick foam that clings to vertical surfaces.
- ◆ Its innovative chemical compound contains a unique blend of highly active modern, biodegradable, proprietary surfactants and builders that are exceptionally effective in removing oils and greases.
- ◆ When used as directed, this product is safe and suitable for use in a USDA inspected facility, only in soak tanks or with steam or mechanical cleaning devices in all departments of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs.

### FEATURES

- ◆ High Reserve Alkalinity ..... Effective on oils and greases.
- ◆ Self-Foaming ..... Effective in foam cleaning or spray applications.

### BENEFITS

### TYPICAL INSPECTIONS

- ◆ Appearance ..... Liquid, Viscous
- ◆ Color ..... Clear, Amber
- ◆ Odor ..... Mild
- ◆ Solubility ..... Complete
- ◆ pH neat ..... 14.0
- ◆ Specific Gravity ..... 1.378
- ◆ Foaming ..... Moderate
- ◆ Flash Point ..... >200°F (nonflammable)

### DILUTION

- ◆ Consult sales representative for recommendation.

### SAFETY

- ◆ Keep out of the reach of children. For industrial and commercial use only.
- ◆ Safety Data Sheets available with delivery or upon request.
- ◆ Read label instructions and SDS carefully.





February 11, 2020

Mr. Chas Quatman  
ChemStation of Northwest Ohio  
950 Industry Avenue  
Lima, OH 45804

Dear Chas,

This letter is in reply to your request for compound authorization received on February 11, 2020 for ChemStation Product 50653.

When used according to label directions, this product is safe and suitable for use in a USDA inspected facility, including dairies, only in soak tanks or with steam or mechanical cleaning devices in all departments of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs.

Before using this compound, food products and packaging materials must be removed from the room or carefully protected. After using this compound, all surfaces must be thoroughly rinsed with potable water.

Sincerely,

Katie Overton  
Project Coordinator  
ChemStation International

