

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 1 of 12

**COOPER TURKEY 6 ABF PACK**

## SECTION 1: Identification

### Product Identifier

**Product Name:** COOPER TURKEY 6 ABF PACK

**Synonyms:** COOPER TKY 6 PAC GR ABF; COOPER TKY 6 PK ABF

**Product code:** 130037287; 130037296



### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** For further manufacture of animal feed.

**Uses Advised Against:** Not for human consumption.

**Reasons Why Uses Advised Against:** Not determined or not applicable.

### Manufacturer or Supplier Details

#### Manufacturer:

**United States**

Provimi Cargill Animal Nutrition and Health

6571 OH-503 N

Lewisburg, OH 45338

1 (937) 770-2400

### Emergency Telephone Number:

**United States**

VelocityEHS (formerly ChemTel, Inc)

1-800-255-3924 (North America)

+1-813-248-0585 (International)

## SECTION 2: Hazard(s) Identification

### GHS Classification:

Combustible Dust

Serious eye damage, category 1

Skin sensitization, category 1

Carcinogenicity, category 1A

### Label elements

#### Hazard Pictograms:



**Signal Word:** Danger

### Hazard statements:

Combustible Dust May form combustible dust concentrations in air.

H350 May cause cancer if inhaled.

H318 Causes serious eye damage

H317 May cause an allergic skin reaction

### Precautionary Statements:

P210 Keep away from sparks, open flames and hot surfaces. No smoking.

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P280 Wear eye protection.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 2 of 12

## COOPER TURKEY 6 ABF PACK

P201 Obtain special instructions before use  
P202 Do not handle until all safety precautions have been read and understood  
P260 Do not breathe dust.  
P272 Contaminated work clothing must not be allowed out of the workplace  
P302+P352 IF ON SKIN: Wash with plenty of soap and water  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308+P313 If exposed or concerned: Get medical advice and attention.  
P363 Wash contaminated clothing before reuse  
P405 Store locked up  
P501 Dispose of contents and container in accordance with local, regional, national, and international regulations

**Hazards Not Otherwise Classified:** None

## SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 533-96-0	Trisodium;hydrogen carbonate;carbonate	30-40
CAS Number: 143-07-7	Lauric acid	10-20
CAS Number: 336185-21-8	Oils, marjoram, pot	<1
CAS Number: 14808-60-7	Silica, crystalline quartz (respirable)	<1

### Additional Information:

The manufacturer has claimed the exact percentage as trade secret under the OSHA Hazard Communication Standard.

## SECTION 4: First Aid Measures

### Description of First Aid Measures

#### General Notes:

First Aid responders should wear gloves and other self-protection when performing treatment.  
Show this Safety Data Sheet to the doctor in attendance.

#### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If exposed, seek medical advice/attention.

#### After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 3 of 12

**COOPER TURKEY 6 ABF PACK**

## After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

## Most Important Symptoms and Effects, Both Acute and Delayed

### Acute Symptoms and Effects:

Inhalation of large amounts of dust may cause inflammation and irritation of the nose and throat. Symptoms may include cough, sore throat, tightness of the chest, chest pain and lightheadedness. Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis. Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

### Delayed Symptoms and Effects:

Repeated or prolonged skin contact can result in allergic response. Exposure may cause cancer. Effects are dependent on exposure (dose, concentration, contact time).

## Immediate Medical Attention and Special Treatment

### Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued. Excessive exposure may aggravate preexisting skin disorders.

### Notes for the Doctor:

Treat symptomatically.

## SECTION 5: Firefighting Measures

### Extinguishing Media

#### Suitable Extinguishing Media:

Use water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam. Apply extinguishing media carefully to avoid creating airborne dust.

#### Unsuitable Extinguishing Media:

Avoid high pressure media which could cause the formation of a potentially explosive dust-air mixture.

### Specific Hazards During Fire-Fighting:

May form combustible dust concentrations in air. Reacts with water and alcohols. Reacts violently with oxidants, strong acids and bases and chlorinated hydrocarbons. This generates a fire and explosion hazard. Thermal decomposition may produce irritating/toxic fumes/gases.

### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode. Use shielding to protect against bursting containers.

### Special precautions:

Violent reactions may result from the use of a water jet or halogenated extinguishing agents. When using extinguishers, avoid dispersing combustible dust into the air. Aim extinguishers directly at the base of the flames and apply the agent as gently as possible.

Avoid inhaling gases, fumes, mist, dust, vapor or aerosols. Avoid contact with eyes, skin, hair or clothing.

## SECTION 6: Accidental Release Measures

### Personal Precautions, Protective Equipment, and Emergency Procedures:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 4 of 12

## COOPER TURKEY 6 ABF PACK

Evacuate unnecessary personnel. Extinguish any sources of ignition. Do not ventilate area as this may spread dust. Wear recommended personal protective equipment including suitable respiratory protection (see Section 8). Ensure no sources of electric discharge or ignition are on your person before entering area. Do not get on skin, eyes or on clothing. Avoid breathing dust, fumes. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

### Methods and Material for Containment and Cleaning Up:

Avoid dust generation or stirring up of dust. Use only non-sparking tools. Ground all equipment used for recovery and clean up. Vacuum up and place in suitable containers for future disposal. Only use vacuum cleaners approved for dust collection. Dispose of in accordance with all applicable regulations (see Section 13).

### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

For disposal see section 13.

## SECTION 7: Handling and Storage

### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Avoid breathing dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Use dust explosion proof electrical equipment and lighting. Avoid dust generation and dispersal of dust in air. Dust deposits should not be allowed to accumulate on surfaces. Clean dust residues at regular intervals. Do not use brooms or compressed air hoses to clean surfaces. Only use vacuums approved for dust collection. Use only non-sparking tools. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions such as electrical grounding and bonding. Keep containers tightly closed and grounded when not in use. Workers whose clothing may have been contaminated should change into non-contaminated clothing before leaving the work premises. Contaminated clothing should be segregated in such a manner so that there is no direct personal contact by personnel who handle, dispose or clean the clothing. Contaminated clothing should not be allowed out of the workplace. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10).

### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA-PEL: 0.05 mg/m <sup>3</sup> (respirable)
	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA-PEL: 0.025 mg/m <sup>3</sup> (Action level - respirable)
ACGIH	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA: 0.025 mg/m <sup>3</sup> (respirable fraction)

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 5 of 12

## COOPER TURKEY 6 ABF PACK

Country (Legal Basis)	Substance	Identifier	Permissible concentration
NIOSH	Silica, crystalline quartz (respirable)	14808-60-7	REL-TWA: 0.05 mg/m <sup>3</sup> (respirable - up to 10 hr)
	Silica, crystalline quartz (respirable)	14808-60-7	IDLH: 50 mg/m <sup>3</sup> (respirable)
United States(California)	Silica, crystalline quartz (respirable)	14808-60-7	8-Hour TWA-PEL: 0.05 mg/m <sup>3</sup> (respirable dust)
	Silica, crystalline quartz (respirable)	14808-60-7	REL: 3 ug/m <sup>3</sup> (chronic inhalation [respirable])

### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

### Information on Monitoring Procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

### Appropriate Engineering Controls:

This product is a combustible material which may be ignited by friction, heat, sparks or flames. It is recommended that all dust control equipment (such as local exhaust ventilation and material transport systems) involved in handling this product contain explosion relief vents or an explosion suppression system. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area. Keep static electricity under control, which includes the bonding and grounding of equipment. Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Personal Protection Equipment

#### Eye and Face Protection:

Safety goggles. Wear safety goggles and face shield when accidental contact with eye and face contact is possible.

#### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 6 of 12

## COOPER TURKEY 6 ABF PACK

<b>Appearance</b>	Solid, gray to brown.
<b>Odor</b>	Slight, characteristic.
<b>Odor threshold</b>	Not determined or not available.
<b>pH</b>	Not determined or not available.
<b>Melting point/freezing point</b>	Not determined or not available.
<b>Initial boiling point/range</b>	Not determined or not available.
<b>Flash point (closed cup)</b>	Not determined or not available.
<b>Evaporation rate</b>	Not determined or not available.
<b>Flammability (solid, gas)</b>	Combustible dust
<b>Upper flammability/explosive limit</b>	Not determined or not available.
<b>Lower flammability/explosive limit</b>	Not determined or not available.
<b>Vapor pressure</b>	Not determined or not available.
<b>Vapor density</b>	Not determined or not available.
<b>Density</b>	Not determined or not available.
<b>Relative density</b>	Not determined or not available.
<b>Solubilities</b>	Soluble in water.
<b>Partition coefficient (n-octanol/water)</b>	Not determined or not available.
<b>Auto/Self-ignition temperature</b>	Not determined or not available.
<b>Decomposition temperature</b>	Not determined or not available.
<b>Dynamic viscosity</b>	Not determined or not available.
<b>Kinematic viscosity</b>	Not determined or not available.
<b>Explosive properties</b>	Not determined or not available.
<b>Oxidizing properties</b>	Not determined or not available.

## SECTION 10: Stability and Reactivity

### Reactivity:

Not reactive under recommended handling and storage conditions.

### Chemical Stability:

Stable under recommended handling and storage conditions.

### Possibility of Hazardous Reactions:

May react violently in contact with acids.

Under normal conditions of storage and use, hazardous reactions will not occur.

### Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, static discharge, ignition sources, dust generation and accumulation and incompatible materials.

### Incompatible Materials:

Strong oxidizing agents.

Strong acids.

### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological Information

### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

### Product Data:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 7 of 12

## COOPER TURKEY 6 ABF PACK

Route	Result
Oral	LD50 Rat: >5000 mg/kg (Calculated, based on components.)

### Substance Data:

Name	Route	Result
Trisodium;hydrogen carbonate;carbonate	oral	LD50 Rat: > 4000 mg/kg
Lauric acid	oral	LD50 Rat: > 5000 mg/kg
	inhalation	LC50 Rat: > 0.162 mg/L (4 hr [vapor])
	dermal	LD50 Rabbit: > 2000 mg/kg
Oils, marjoram, pot	Oral ATE	LD50 Rat: 500 mg/kg
	Dermal ATE	LD50 Rabbit: 1100 mg/kg

### Skin Corrosion/Irritation

**Assessment:** Based on available data, the classification criteria are not met.

### Product Data:

Based on components: Prolong contact with dust or powder may cause slight skin irritation with local redness.

### Substance Data:

Name	Result
Oils, marjoram, pot	Causes skin irritation.

### Serious Eye Damage/Irritation

#### Assessment:

Causes serious eye damage.

#### Product Data:

Based on components: May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

### Substance Data:

Name	Result
Trisodium;hydrogen carbonate;carbonate	Causes serious eye irritation.
Lauric acid	Causes serious eye damage.

### Respiratory or Skin Sensitization

#### Assessment:

May cause an allergic skin reaction.

#### Product Data:

One or more components in this mixture may cause an allergic skin reaction.

### Substance Data:

Name	Result
Oils, marjoram, pot	May cause an allergic skin reaction.

### Carcinogenicity

#### Assessment:

May cause cancer.

#### Product Data:

No data available.

### Substance Data:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 8 of 12

## COOPER TURKEY 6 ABF PACK

Name	Species	Result
Silica, crystalline quartz (respirable)		May cause cancer via inhalation.

### International Agency for Research on Cancer (IARC):

Name	Classification
Silica, crystalline quartz (respirable)	Group 1

### National Toxicology Program (NTP):

Name	Classification
Silica, crystalline quartz (respirable)	Known to be human carcinogens

### OSHA Carcinogens:

Ingredient Name	CAS	OSHA Carcinogens Status
Silica, crystalline quartz (respirable)	14808-60-7	Yes

### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

**Substance Data:** No data available.

### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

**Substance Data:**

Name	Result
Silica, crystalline quartz (respirable)	Causes damage to organs (lungs; kidneys; immune system) through prolonged or repeated exposure via inhalation.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

Not an aspiration hazard.

**Substance Data:**

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 9 of 12

## COOPER TURKEY 6 ABF PACK

Name	Result
Oils, marjoram, pot	May be fatal if swallowed and enters airways.

### Information on Likely Routes of Exposure:

Inhalation: May cause irritation, asthma symptoms or allergic response. Prolong exposure may cause cancer.

Ingestion: Low toxicity if swallowed.

Skin: Prolong skin contact is unlikely to result in absorption of harmful amounts. May cause an allergic skin reaction.

Eye: May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

Inhalation: May cause coughing and sneezing.

Ingestion: Swallowing large quantities may cause gastrointestinal irritation.

Skin: Skin contact may cause itching, swelling, redness, or allergy symptoms.

Eye contact may cause tearing, swelling, itching, redness and blurred or loss of vision.

### Other Information:

Repeated or prolonged exposure to respirable (airborne) crystalline silica dust will cause lung damage in the form of silicosis. Symptoms will include progressively more difficult breathing, cough, fever, and weight loss.

## SECTION 12: Ecological Information

### Acute (Short-Term) Toxicity

#### Assessment:

Based on components: Material is practically non-toxic to aquatic organisms on an acute basis.

**Product Data:** No data available.

#### Substance Data:

Name	Result
Trisodium;hydrogen carbonate;carbonate	Fish LC50 Lepomis macrochirus: 7100 mg/L (96 hr [read across])
	Aquatic Invertebrates EC50 Daphnia magna: 4100 mg/L (48 hr [read across])
Lauric acid	Fish LC50 Oryzias latipes: 5 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 3.6 mg/L (48 hr)
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: > 7.6 mg/L (72 hr)

### Chronic (Long-Term) Toxicity

#### Assessment:

Based on components: Material is practically non-toxic to aquatic organisms on a chronic basis.

**Product Data:** No data available.

#### Substance Data:

Name	Result
Trisodium;hydrogen carbonate;carbonate	Aquatic Invertebrates NOEC Daphnia magna: > 576 mg/L (21 d [read across])
Lauric acid	Fish NOEC Danio rerio: 2 mg/L (28 d (Read-across))

### Persistence and Degradability

**Product Data:** No data available.

#### Substance Data:

Name	Result
Lauric acid	This substance is readily biodegradable.

### Bioaccumulative Potential

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 10 of 12

## COOPER TURKEY 6 ABF PACK

**Product Data:** No data available.

**Substance Data:**

Name	Result
Lauric acid	This substance has low potential to bioaccumulate [BCF: 236 - 288].

### Mobility in Soil

**Product Data:** No data available.

**Substance Data:**

Name	Result
Lauric acid	This substance is moderately mobile. Adsorption to soil can be expected (koc: 834.4).

### Results of PBT and vPvB assessment

**Product Data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

**Substance Data:**

**PBT assessment:**

Trisodium;hydrogen carbonate;carbonate	This substance is not PBT.
Lauric acid	The substance is not PBT.

**vPvB assessment:**

Trisodium;hydrogen carbonate;carbonate	This substance is not vPvB.
Lauric acid	The substance is not vPvB.

**Other Adverse Effects:** No data available.

## SECTION 13: Disposal Considerations

### Disposal Methods:

Dispose in accordance with all applicable regulations. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

### Contaminated packages:

Since emptied containers may retain product residue, follow label warning even after container is emptied.

## SECTION 14: Transport Information

### United States Transportation of Dangerous Goods (49 CFR DOT)

<b>UN Number</b>	Not regulated
<b>UN Proper Shipping Name</b>	Not regulated
<b>UN Transport Hazard Class(es)</b>	None
<b>Packing Group</b>	None
<b>Environmental Hazards</b>	None
<b>Special Precautions for User</b>	None

### International Maritime Dangerous Goods (IMDG)

<b>UN Number</b>	Not regulated
<b>UN Proper Shipping Name</b>	Not regulated
<b>UN Transport Hazard Class(es)</b>	None

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 11 of 12

## COOPER TURKEY 6 ABF PACK

<b>Packing Group</b>	None
<b>Environmental Hazards</b>	None
<b>Special Precautions for User</b>	None

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

<b>UN Number</b>	Not regulated
<b>UN Proper Shipping Name</b>	Not regulated
<b>UN Transport Hazard Class(es)</b>	None
<b>Packing Group</b>	None
<b>Environmental Hazards</b>	None
<b>Special Precautions for User</b>	None

## SECTION 15: Regulatory Information

### United States Regulations

**Inventory Listing (TSCA):** One or more ingredients are not listed. For animal feed use only.

**Significant New Use Rule (TSCA Section 5):** Not assessed.

**Export Notification under TSCA Section 12(b):** Not assessed.

**SARA Section 302 Extremely Hazardous Substances:** Not determined.

**SARA Section 313 Toxic Chemicals:** Not determined.

**CERCLA:** None of the ingredients are listed.

**RCRA:** Not determined.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

### Massachusetts Right to Know:

14808-60-7	Silica, crystalline quartz (respirable)	Listed
------------	---	--------

### New Jersey Right to Know:

14808-60-7	Silica, crystalline quartz (respirable)	Listed
------------	---	--------

**New York Right to Know:** None of the ingredients are listed.

### Pennsylvania Right to Know:

14808-60-7	Silica, crystalline quartz (respirable)	Listed
------------	---	--------

### California Proposition 65:

**⚠WARNING:** This product can expose you to Silica, crystalline quartz (respirable); which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Additional information:** Not determined.

## SECTION 16: Other Information

**Abbreviations and Acronyms:** None

### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**Initial Preparation Date:** 06.14.2023

**Additional information:**

## **Safety Data Sheet**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 06.14.2023

Page 12 of 12

**COOPER TURKEY 6 ABF PACK**

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Refer to NFPA 61, Standard for the Prevention of Fires and Dust Explosions in the Agricultural and Food Processing Industries.

Refer to NFPA 652, Standard on the Fundamentals of Combustible Dust.

**End of Safety Data Sheet**