

SECTION 1: IDENTIFICATION**Product Identifier****Product Form:** Mixture**Product Name:** Destainer #2 (AFCO 0487)**Product Code:** AFCO 0487**Intended Use of the Product**

Metal destaining compound for use on food processing equipment. For professional use only.

Name, Address, and Telephone of the Responsible Party**Company**

Alex C. Fergusson, LLC.

800 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

www.afcocare.com**Emergency Telephone Number**

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION**Classification of the Substance or Mixture****Classification (GHS-US)**

Eye Dam. 1 H318

666Label Elements**GHS-US Labeling****Hazard Pictograms (GHS-US)**

GHS05

Signal Word (GHS-US) : Danger.

Hazard Statements (GHS-US) : H318 - Causes serious eye damage.

Precautionary Statements (GHS-US) : P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician. P332+P313 - If skin irritation occurs: Get medical advice/attention.

Other Hazards

Other Hazards: Causes mild skin irritation. Contact with some metals may evolve flammable hydrogen gas.

Unknown Acute Toxicity (GHS-US) Not available.**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****Substances**

| Name | Product identifier | % (w/w) | Classification (GHS-US) |
|---------------------------|--------------------|---------|---|
| Sodium bisulfate | (CAS No) 7681-38-1 | 90-100 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| Iron sulfate heptahydrate | (CAS No) 7782-63-0 | 0-10 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |

Full text of H-phrases: see section 16

Destainer #2 (AFCO 0487)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact: Remove contaminated clothing. Rinse cautiously with water for at least 30 minutes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes mild skin irritation and serious eye damage.

Inhalation: Not usually a source of exposure.

Skin Contact: Causes mild skin irritation.

Eye Contact: Causes serious eye damage.

Ingestion: Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe irritation progressing quickly to chemical burns.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Thermal decomposition generates: Reacts violently with strong bases. May generate explosive hydrogen gas when in contact with some metals. Product readily dissolves in water to form a weak sulfuric acid solution. No gases or toxic fumes are emitted from this reaction but precautions for exposure to sulfuric acid should be followed.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Do not breath fumes from fires or vapors from decomposition. Do not allow run-off from fire fighting to enter drains or water sources.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products Sulfur oxides, iron oxides, sodium oxides.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not allow product to spread into the environment. Do not get in eyes, on skin, or on clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: None.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to environment.

Destainer #2 (AFCO 0487)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods and Material for Containment and Cleaning Up

For Containment: Sweep or shovel up any spills. Prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Avoid creating dust. Wear appropriate protective equipment. Place spilled product in suitable container for proper disposal.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Contact with some metals may evolve flammable hydrogen gas.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep away from incompatible materials.

Incompatible Materials: Strong bases, moisture, hypochlorites.

Specific End Use(s)

Metal destaining compound for use on food processing equipment. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Safety glasses. Gloves. Protective goggles. Corrosion-proof clothing.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: None usually needed.

Consumer Exposure Controls: Do not eat, drink, or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| | | |
|---|---|----------------------|
| Physical State | : | Powder |
| Appearance | : | Off white/pale green |
| Odor | : | Low |
| Odor Threshold | : | Not available |
| pH (1%) | : | 1.3 |
| Relative Evaporation Rate (butylacetate=1) | : | Not available |
| Melting Point | : | 350F |
| Freezing Point | : | Not available |
| Boiling Point | : | 97.8°C (208.04°F) |
| Flash Point | : | Not flammable |
| Auto-ignition Temperature | : | Not available |

Destainer #2 (AFCO 0487)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | | |
|---|---|---|
| Decomposition Temperature | : | Not available |
| Flammability (solid, gas) | : | Not flammable |
| Lower Flammable Limit | : | Not available |
| Upper Flammable Limit | : | Not available |
| Vapor Pressure | : | Not available |
| Relative Vapor Density at 20°C | : | Not available |
| Specific Gravity | : | Not available |
| Solubility | : | Complete in water. |
| Partition coefficient: n-octanol/water | : | Not available |
| Viscosity | : | Not available |
| Explosion Data – Sensitivity to Mechanical Impact | : | Not expected to present an explosion hazard due to mechanical impact. |
| Explosion Data – Sensitivity to Static Discharge | : | Not expected to present an explosion hazard due to static discharge. |

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Thermal decomposition generates sulfur oxides, iron oxides, sodium oxides. Contact with some metals may generate explosive hydrogen gas.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous reactions will not occur under normal conditions.

Conditions to Avoid: Incompatible materials.

Incompatible Materials: Strong bases, moisture, hypochlorites.

Hazardous Decomposition Products: Thermal decomposition generates: Sulfur oxides, sodium oxides, iron oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified.

LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Causes slight skin irritation.

pH(1%): 1.3

Serious Eye Damage/Irritation: Causes serious eye damage.

pH(1%): 1.3

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

Teratogenicity: Not available.

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: Not classified.

Symptoms/Injuries After Skin Contact: Causes mild skin irritation.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| | |
|--|------------|
| Iron sulfate heptahydrate (7782-63-0) | |
| LD50 Oral Mouse | 1520 mg/kg |
| Sodium bisulfate (7681-38-1) | |
| LD50 Oral Rat | 2800 mg/kg |

Destainer #2 (AFCO 0487)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not classified.

Persistence and Degradability

| Destainer #2 (AFCO 0487) | |
|-------------------------------|------------------|
| Persistence and Degradability | Not established. |

Bioaccumulative Potential

| Destainer #2 (AFCO 0487) | |
|---------------------------|------------------|
| Bioaccumulative Potential | Not established. |

Mobility in Soil Not available.

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations: Do not empty into drains; dispose of this material and its container in a safe way.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT : Not regulated for transport.

14.2 In Accordance with IMDG : Not regulated for transport.

14.3 In Accordance with IATA : Not regulated for transport.

14.4 In Accordance with TDG : Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

| Destainer #2 (AFCO 0487) | |
|-------------------------------------|----------------------------------|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard. |

Sodium bisulfate (7681-38-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

Iron sulfate heptahydrate (7782-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

US State Regulations

Sodium bisulfate (7681-38-1)

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List.

RTK - U.S. - Pennsylvania - RTK (Right to Know) List.

Canadian Regulations

Sodium bisulfate (7681-38-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Iron sulfate heptahydrate (7782-63-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 7/24/2018

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Irrit. 3 | Skin corrosion/irritation Category 3 |

Destainer #2 (AFCO 0487)

Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|------|-------------------------------|
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H316 | Causes mild skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |

NFPA Health Hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA Fire Hazard : 0 - Materials that will not burn.

NFPA Reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur.

Flammability : 0 Minimal Hazard.

Physical : 1 Slight Hazard.

Party Responsible for the Preparation of This Document

Alex C. Ferguson, LLC.

800 Development Avenue

Chambersburg, PA 17201

Tel: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)