





**Loctite Corporation**  
Automotive and Consumer Group

4450 Cranwood Court  
Cleveland, Ohio 44128  
(216) 475-3600  
Telex: 6873201 LOCTIT UW

ART #:7651468

PAGE: 2

**PRIMARY ROUTES OF ENTRY:**

SKIN, INGESTION, INHALATION

**EXISTING CONDITIONS AGGRAVATED BY EXPOSURE:**

NONE KNOWN

**SYMPTOMS OF OVEREXPOSURE:**

ACETIC ACID LIBERATED DURING CURE IRRITATES EYES, NOSE AND THROAT.  
PROLONGED OR REPEATED CONTACT MAY IRRITATE SKIN.

**EMERGENCY TREATMENT PROCEDURES:**

**INGESTION:**

DO NOT INDUCE VOMITING. OBTAIN MEDICAL ATTENTION.

**INHALATION:**

REMOVE TO FRESH AIR. TREAT SYMPTOMATICALLY.

**SKIN CONTACT:**

WIPE FROM SKIN WITH DRY CLOTH. WASH EXPOSED AREA WITH SOAP AND WATER.

**EYE CONTACT:**

FLUSH WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN.

**PERSONAL PROTECTION:**

**EYES:** SAFETY GLASSES OR GOGGLES FOR LARGE OR INDUSTRIAL USE.

**SKIN:** RUBBER OR PLASTIC GLOVES RECOMMENDED FOR PROLONGED CONTACT.

**VENTILATION:**

PROVIDE ADEQUATE VENTILATION FOR PROLONGED USE IN CONFINED AREA.

**V. FLAMMABILITY AND EXPLOSIVE PROPERTIES**

FLASH POINT: >200 DEG F

METHOD: CLOSED CUP

EXPLOSIVE LIMITS(% BY VOLUME IN AIR) LOWER: UNK % UPPER: UNK %

RECOMMENDED EXTINGUISHING AGENTS: CARBON DIOXIDE, FOAM

HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION:

SILICON DIOXIDE, CARBON DIOXIDE, OTHER CARBON PRODUCTS

UNUSUAL FIRE OR EXPLOSION HAZARDS:

NONE KNOWN

COMPRESSED GASES:

NAME: NONE

PRESSURE AT ROOM TEMPERATURE:

**VI. REACTIVITY DATA**

STABILITY:

|X| STABLE

| | UNSTABLE

HAZARDOUS POLYMERIZATION:

| | MAY OCCUR

|X| WILL NOT OCCUR

HAZARDOUS DECOMPOSITION PRODUCTS(NON-THERMAL):

AIR OR MOISTURE CAUSES POLYMERIZATION AND ACETIC ACID VAPOR RELEASED.

INCOMPATIBILITY:

OXIDIZING MATERIAL

**VII. SPILL OR LEAK AND DISPOSAL PROCEDURES**

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:

WIPE OR SCRAPE UP MATERIAL. MAINTAIN GOOD VENTILATION OR LARGE SPILLS  
ALLOW MATERIAL TO CURE TO RUBBER.

ART #:7651468

PAGE: 3

RECOMMENDED METHODS OF DISPOSAL:  
LANDFILL OR INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS. MATERIALS  
NOT CONSIDERED A HAZARDOUS WASTE.  
CERCLA REPORTABLE QTY(IN LBS.):  
RCRA HAZARDOUS WASTE NO.:

### VIII. STORAGE AND HANDLING PROCEDURES

STORAGE: STORE IN DRY AREA BELOW 90 DEG F. KEEP CONTAINERS CLOSED WHEN NOT IN USE.  
HANDLING: AVOID SKIN/EYE CONTACT. ACETIC ACID VAPOR RELEASED DURING APPLICATION AND CURE. DO NOT WEAR CONTACT LENSES WHILE APPLYING MATERIAL. VAPOR MAY BE TRAPPED UNDER LENS.

### IX. SHIPPING REGULATIONS

TYPE OR CLASS DOT: UNRESTRICTED  
IATA: UNRESTRICTED  
PROPER SHIPPING NAME  
DOT:  
IATA:

---

PREPARED BY: KATHRYN A. HOLEN  
TITLE: ENVIR. HEALTH AND SAFETY SPECIALIST  
DATE: 12/27/88  
SUPERSEDES: NEW ISSUE  
N/A = NOT APPLICABLE  
EST = ESTIMATE  
DNA = DOES NOT APPLY  
UNK = UNKNOWN  
N/E = NOT ESTABLISHED