

DOD Hazardous Materials Information System
DOD 6050.5-L
AS OF July 1998

FSC: 8010
NIIN: 00D003150
Manufacturer's CAGE: KURFE
Part No. Indicator: A
Part Number/Trade Name: 12161,12162,47307, SERVISTAR BEST INT. LATEX FLAT
DECOR-WHITE

=====

General Information

=====

Item Name: PAINT,WHITE,INTERIOR,LATEX
Company's Name: KURFEES COATINGS
Company's Street: 201 E. MARKET ST.
Company's P. O. Box:
Company's City: LOUISVILLE
Company's State: KY
Company's Country: US
Company's Zip Code: 40202
Company's Emerg Ph #: 502-584-0151
Company's Info Ph #: 502-584-0151
Distributor/Vendor # 1:
Distributor/Vendor # 1 Cage:
Distributor/Vendor # 2:
Distributor/Vendor # 2 Cage:
Distributor/Vendor # 3:
Distributor/Vendor # 3 Cage:
Distributor/Vendor # 4:
Distributor/Vendor # 4 Cage:
Safety Data Action Code:
Safety Focal Point: D
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SE
Date MSDS Prepared: 14JAN91
Safety Data Review Date: 17DEC93
Supply Item Manager: CX
MSDS Preparer's Name: UNKNOWN
Preparer's Company:
Preparer's St Or P. O. Box:
Preparer's City:
Preparer's State:
Preparer's Zip Code:
Other MSDS Number:
MSDS Serial Number: BSDDQ
Specification Number: TT-P-29
Spec Type, Grade, Class: NONE
Hazard Characteristic Code: N1
Unit Of Issue: NK
Unit Of Issue Container Qty: UNKNOWN
Type Of Container: UNKNOWN

Report for NIIN: 00D003150

Net Unit Weight: UNKNOWN
NRC/State License Number: N/R
Net Explosive Weight:
Net Propellant Weight-Ammo: N/R
Coast Guard Ammunition Code:

Ingredients/Identity Information

Proprietary: NO

Ingredient: ETHYLENE GLYCOL (SARA III)

Ingredient Sequence Number: 01

Percent: 5

Ingredient Action Code:

Ingredient Focal Point: D

NIOSH (RTECS) Number: KW2975000

CAS Number: 107-21-1

OSHA PEL: C 50 PPM

ACGIH TLV: C 50 PPM, VAPOR; 9293

Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO

Ingredient: SILICA, CRYSTALLINE - TRIPOLI

Ingredient Sequence Number: 02

Percent: 5

Ingredient Action Code:

Ingredient Focal Point: D

NIOSH (RTECS) Number: VV7336000

CAS Number: 1317-95-9

OSHA PEL: 0.1 MG/M3 RDUST

ACGIH TLV: 0.1 MG/M3 RDUST; 9293

Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO

Ingredient: KAOLIN

Ingredient Sequence Number: 03

Percent: 20

Ingredient Action Code:

Ingredient Focal Point: D

NIOSH (RTECS) Number: GF1670500

CAS Number: 1332-58-7

OSHA PEL: 10 MG/M3 TDUST

ACGIH TLV: 2 MG/M3 TDUST; 9293

Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO

Ingredient: TITANIUM DIOXIDE

Ingredient Sequence Number: 04

Percent: 15

Ingredient Action Code:

Ingredient Focal Point: D

NIOSH (RTECS) Number: XR2275000

CAS Number: 13463-67-7

OSHA PEL: 10 MG/M3 TDUST

Report for NIIN: 00D003150

ACGIH TLV: 10 MG/M3 TDUST; 9293

Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO

Ingredient: PROPIONIC ACID, 2-METHYL, MONOESTER WITH 2,2,4-TRIMETHYL-1,3-PENTANEDIOL

Ingredient Sequence Number: 05

Percent: 2

Ingredient Action Code:

Ingredient Focal Point: D

NIOSH (RTECS) Number: UF6000000

CAS Number: 25265-77-4
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: PETROLEUM OIL
Ingredient Sequence Number: 06
Percent: 2
Ingredient Action Code:
Ingredient Focal Point: D
NIOSH (RTECS) Number: PY8041500
CAS Number: 64741-89-5
OSHA PEL: 5 MG/M3 (OIL MIST)
ACGIH TLV: 5 MG/M3 (OIL MIST)
Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
Ingredient: SURFACTANT
Ingredient Sequence Number: 07
Percent: 2
Ingredient Action Code:
Ingredient Focal Point: D
NIOSH (RTECS) Number: 1010532SU
CAS Number: 68412-54-4
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE RECOMMENDED

=====
Physical/Chemical Characteristics
=====

Appearance And Odor: WHITE PAINT
Boiling Point: 100-510F
Melting Point: N/K
Vapor Pressure (MM Hg/70 F): 1
Vapor Density (Air=1): >1
Specific Gravity: N/K
Decomposition Temperature: N/K
Evaporation Rate And Ref: N/K
Solubility In Water: NOT REPORTED
Percent Volatiles By Volume: 3.99
Viscosity:

Report for NIIN: 00D003150

pH: N/K
Radioactivity:
Form (Radioactive Matl):
Magnetism (Milligauss): N/P
Corrosion Rate (IPY): N/K
Autoignition Temperature:

=====
Fire and Explosion Hazard Data
=====

Flash Point: 232F,111C
Flash Point Method: TCC
Lower Explosive Limit: 0.6
Upper Explosive Limit: N/K
Extinguishing Media: WATER FOG
Special Fire Fighting Proc: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire And Expl Hazrds: NONE

=====
Reactivity Data
=====

Stability: YES

Cond To Avoid (Stability): NONE

Materials To Avoid: HMIS SUGGESTS STRONG OXIDIZING AGENTS.

Hazardous Decomp Products: CARBON MONOXIDE AND CARBON DIOXIDE.

Hazardous Poly Occur: NO

Conditions To Avoid (Poly): NONE

=====
Health Hazard Data
=====

LD50-LC50 Mixture: LD50 NOT ESTABLISHED

Route Of Entry - Inhalation: NO

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: NO

Health Haz Acute And Chronic: EYES:SLIGHTLY IRRITATING.SKIN:HMIS SUGGESTS POSSIBLY IRRITATING.INGEST:HMIS SUGGESTS NOT A LIKELY ROUTE OF EXPOSURE.

INHAL:HMIS SUGGESTS SLIGHTLY IRRITATING TO RESPIRATORY TRACT, AND MAY CAUSE CNS EFFECTS.DUST FROM CURED PAINT MAY BE HAZARDOUS DUE TO CRYSTALLINE SILICA.

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: NO

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA.

Signs/Symptoms Of Overexp: EYES/SKIN;IRRITATION.INHAL:DIZZINESS, HEADACHE.

Med Cond Aggravated By Exp: PERSONS WITH PRE-EXISTING RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

Emergency/First Aid Proc: EYES:FLUSH WITH WATER.SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.INGEST:GET PROMPT QUALIFIED MEDICAL ASSISTANCE.INHAL:REMOVE FROM EXPOSURE.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.IN ALL CASES,GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.

Report for NIIN: 00D003150

=====
Precautions for Safe Handling and Use
=====

Steps If Matl Released/Spill: AVOID BREATHING VAPORS.VENTILATE AREA.

TRANSFER INTO AN SUITABLE CLOSED METAL CONTAINER FOR DISPOSAL.

Neutralizing Agent: NONE

Waste Disposal Method: PLACE CLOSED METAL CONTAINERS PENDING DISPOSAL.

DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Precautions-Handling/Storing: STORE IN A COOL, DRY PLACE.KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions: DO NOT TAKE INTERNALLY.KEEP OUT OF REACH OF CHILDREN.

=====
Control Measures
=====

Respiratory Protection: WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE THE APPROPRIATE CARTRIDGE RESPIRATOR OR A SELF-CONTAINED BREATHING APPARATUS.

Ventilation: USE ONLY WITH ADEQUATE ROOM VENTILATION.OPEN WINDOWS OR USE A FAN.

Protective Gloves: NOT NEEDED IN NORMAL SERVICE.

Eye Protection: NOT NEEDED IN NORMAL SERVICE.

Other Protective Equipment: NONE

Work Hygienic Practices: WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.

Suppl. Safety & Health Data: THIS MSDS WAS GENERATED IN RESPONSE TO A TSR.

=====

Transportation Data

=====

Transportation Action Code:

Transportation Focal Point: D

Trans Data Review Date: 93351

DOT PSN Code: ZZZ

DOT Symbol: N/R

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

DOT Class: N/R

DOT ID Number: N/R

DOT Pack Group: N/R

DOT Label: N/R

DOT/DoD Exemption Number:

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

IMO Regulations Page Number: N/R

IMO UN Number: N/R

IMO UN Class: N/R

IMO Subsidiary Risk Label: N/R

IATA PSN Code: ZZZ

IATA UN ID Number: N/R

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

IATA UN Class: N/R

IATA Subsidiary Risk Class: N/R

IATA Label: N/R

AFI PSN Code: ZZZ

AFI Symbols:

Report for NIIN: 00D003150

AFI Prop. Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

AFI Class: N/R

AFI ID Number: N/R

AFI Pack Group: N/R

AFI Label: N/R

AFI Special Prov:

AFI Basic Pac Ref:

MMAC Code:

N.O.S. Shipping Name:

Additional Trans Data: NONE

=====

Disposal Data

=====

Disposal Data Action Code:

Disposal Data Focal Point:

Disposal Data Review Date:

Rec # For This Disp Entry:

Tot Disp Entries Per NSN:

Landfill Ban Item:

Disposal Supplemental Data:

1st EPA Haz Wst Code New:

1st EPA Haz Wst Name New:

1st EPA Haz Wst Char New:

1st EPA Acute Hazard New:

2nd EPA Haz Wst Code New:

2nd EPA Haz Wst Name New:

2nd EPA Haz Wst Char New:

2nd EPA Acute Hazard New:

3rd EPA Haz Wst Code New:

3rd EPA Haz Wst Name New:
3rd EPA Haz Wst Char New:
3rd EPA Acute Hazard New:

=====
Label Data
=====

Label Required: YES
Technical Review Date: 17DEC93
Label Date:
MFR Label Number: UNKNOWN
Label Status: F
Common Name: 12161,12162,47307, SERVISTAR BEST INT.LATEX FLAT
DECOR-WHITE
Chronic Hazard: N/P
Signal Word: CAUTION!
Acute Health Hazard-None:
Acute Health Hazard-Slight: X
Acute Health Hazard-Moderate:
Acute Health Hazard-Severe:
Contact Hazard-None:
Contact Hazard-Slight: X
Contact Hazard-Moderate:
Contact Hazard-Severe:
Fire Hazard-None:

Report for NIIN: 00D003150

Fire Hazard-Slight: X
Fire Hazard-Moderate:
Fire Hazard-Severe:
Reactivity Hazard-None: X
Reactivity Hazard-Slight:
Reactivity Hazard-Moderate:
Reactivity Hazard-Severe:

Special Hazard Precautions: EYES:SLIGHTLY IRRITATING.SKIN:HMIS SUGGESTS POSSIBLY IRRITATING.INGEST:HMIS SUGGESTS NOT A LIKELY ROUTE OF EXPOSURE.
INHAL:HMIS SUGGESTS SLIGHTLY IRRITATING TO RESPIRATORY TRACT, AND MAY CAUSE CNS EFFECTS.DUST FROM CURED PAINT MAY BE HAZARDOUS DUE TO CRYSTALLINE SILICA. STORE IN A COOL, DRY PLACE.KEEP CONTAINERS CLOSED WHEN NOT IN USE.
FIRST AID: EYES:FLUSH WITH WATER.SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.INGEST:GET PROMPT QUALIFIED MEDICAL ASSISTANCE.INHAL: REMOVE FROM EXPOSURE.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.IN ALL CASES,GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.

Protect Eye:
Protect Skin:
Protect Respiratory:
Label Name: KURFEES COATINGS
Label Street: 201 E. MARKET ST.
Label P.O. Box:
Label City: LOUISVILLE
Label State: KY
Label Zip Code: 40202
Label Country: US
Label Emergency Number: 502-584-0151
Year Procured: