

SAFETY DATA SHEET

SDS NO.: F100261530

SECTION 1 IDENTIFICATION

PRODUCT TRADE NAME: A Turkey Pmx w/o Choline

CHEMICAL NAME: N/A

DESCRIPTION: Statement from tag, states it is for turkeys grown for human food from 8 weeks of age to market weight.

MANUFACTURER / SUPPLIER: **Provimi North America, Inc.**

10 Nutrition Way

Brookville, OH 45309

General Information: (937) 770-2400

Transportation Emergency: **Chemtrec** (800) 424-9300

SECTION 2 HAZARDS IDENTIFICATION

GHS Classification:

Health	Environmental	Physical
Acute Toxicity – Category 4, ingredients consists of trace mineral compounds with unknown toxicity.		
Respiratory Sensitizer –Sub Category 1B		
Skin Irritant- Category 4 , Harmful		
Eye Irritant – Category 2		

GHS Pictogram: **!**

Signal Word: Warning

GHS Hazard Statement: Irritant Dust – Can cause irritation to eyes, nose and skin. Persons suffering from asthma or other respiratory problems should avoid any exposure to this product.

Precautionary Statements:

Prevention: Wash hands thoroughly after handling, do not eat, drink or smoke when using this product. Wear gloves/ protective clothing such as long sleeves. Avoid breathing dust, Use only in well-ventilated area.

Response: If swallowed: Call a poison center/ doctor if you feel unwell. Rinse mouth. If on skin wash with plenty of water. Take off contaminated clothing and wash it before reuse. If inhaled, Remove victim to fresh air and keep comfortable for breathing. If in eyes, Rinse cautiously with water for several minutes, Remove contact lenses, if present and easy to do continue rinsing. If eye irritation persists. Get medical advice/ attention.

Storage: Stable under normal conditions at ambient temperatures. Avoid extreme heat.

Disposal: Disposal of contents/ container to landfill in accordance with local/ regional/ national regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Active Ingredients:

manganous oxide, ferrous sulfite, zinc sulfate, sodium selenite, vit.E, zinc oxide, niacin, manganese sulfate, copper sulfate, calcium panthothenate, vit. A, riboflavin, biotin, vit D, soybean oil, eddi, menadione nicotinamide bisulfite, pyridoxine hydrochloride, vit.. B, folic acid and calcium carbonate.

SECTION 4 FIRST AID MEASURES

Emergency and First Aid Procedures:

INHALATION: Move person to fresh air. Get immediate attention if signs of suffocation, irritation or other symptoms develop.

SKIN CONTACT: Immediately wash skin with water for 15-20 minutes. Remove contaminated clothing and wash before reuse. Seek medical attention if irritation persists.

EYE CONTACT: Hold eye open and rinse slowly and gently with water for 15- 20 minutes. Remove contact lenses, if present, after first 5 minutes and then continue rinsing the eye. Get immediate medical attention.

INGESTION: If conscious, immediately rinse mouth with water and give 1 glass of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get immediate attention. Have product container or label information available when calling a poison control center or doctor or if transporting for further treatment.

Advice to Physician: Treat symptomatically. Note potential for anaphylactic shock with allergic individuals.

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media: Dry chemical, alcohol foam, water and carbon dioxide are suitable for fighting fire.

Special Fire Caution: Contact with water releases sulfur dioxide gas which may be harmful or fatal if inhaled.

Special Fire Fighting Procedures: In the event of fire, wear full protective clothing and NIOSH approved seal-containing breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

Unusual Fire and Explosion Hazards: None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Small Spills: Recover small spills by sweeping or vacuuming material into containers.

Large Spills: Evacuate all non-essential personnel. Ventilate area. Wear appropriate protective equipment. Recover spilled material by sweeping or vacuuming it into containers.

Waste Disposal Method: Close containers and dispose of unreclaimed material and material used for spillage. Clean- up in solid waste landfill.

SECTION 7 HANDLING AND STORAGE

Handling Precautions: If dust generation occurs, clean-up personnel require respiratory protection. Observe good personal hygiene. Wash with soap and water after handling.

STORAGE Recommendations: Store in a cool, dry, well-ventilated area. Avoid exposure to high temperatures. Keep out of reach of children. Keep packaging closed when not in use.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

VENTILATION: Use mechanical exhaust as necessary to control air contaminants.

RESPIRATORY PROTECTION: Wear an NIOSH approved respirator if dusts are generated.

PROTECTIVE EQUIPMENT: Wear protective eyewear such as chemical safety goggles or glasses or a face shield. Wear protective gloves.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Dry granular powder
Color: Brown to gray particles
Odor: Mild

SECTION 10 STABILITY AND REACTIVITY

Stability: stable under normal conditions of use and storage.
Conditions to Avoid: avoid elevated above 300 F temperatures and exposure to sunlight, heat and flames.
Incompatibility: Contact with acids, water or ice releases sulfur dioxide gas which may be harmful or fatal if inhaled.
Hazardous Decomposition Products: May decompose if heated, producing irritating or toxic combustion.
Particle Hazardous Polymerization: None known.

SECTION 11 TOXICOLOGICAL INFORMATION

Routes of Exposure

Inhalation: May cause severe or deadly allergic reactions in some asthmatics and sulfite sensitive individuals. Dust can irritate the respiratory tract. Possible signs and symptoms of allergic reactions include bronchoconstriction, sweating, flushing, hives, rapid heart rate, decreased blood pressure, and anaphylaxis.

Skin Contact: Acute contact may cause skin irritation and allowing material to remain on skin may cause irritation with redness and pain.

Eye Contact: Dust or contact with product will irritate or burn the eyes.

Ingestion; Toxicological effects can be irritation to gastrointestinal track and may cause severe or deadly allergic reactions in some asthmatics and sulfide sensitive individuals. Ingestion of large oral doses may cause violent colic, diarrhea, depression and even death.

SECTION 12 ECOLOGICAL INFORMATION

Prevent contamination of soil and surface water.

SECTION 13 DISPOSAL CONSIDERATIONS

Product and empty container disposal are not regulated as EPA hazardous waste.

SECTION 14 TRANSPORTATION INFORMATION

This product is not regulated by Department of Transportation (DOT).

SECTION 15 REGULATORY INFORMATION

The Superfund Amendments and Reauthorization Act (SARA) Title III:
SEC. 302/304 Reportable Quantity of Extremely Hazardous substance: NO
SEC. 311/312 Hazard Categories: Yes / zinc: Chronic and manganese: Chronic / Acute.
SEC. 313 Toxic Chemical Release Report: Yes / zinc (6.8%) and manganese (6.8%) compounds.

SECTION 16 OTHER INFORMATION

Disclaimer: This information relates specifically to the product designated and may not be valid for the product when used in combination with any other materials or products or in a particular process. This information is accurate, to the best of our knowledge. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness, whether originating within Provimi North America, Inc. or not. Provimi North America, Inc. does not accept responsibility for any loss or damage which may occur from the use of this information. Revision Indicator: Revision Date: May 8, 2015