



SAFETY DATA SHEET

SECTION 1 PRODUCT AND COMPANY INFORMATION

Product Name(s): ProvaGrate
Product Code(s): Not available.
Uses: Cleaner for condensate pans and related.
Company: Sterilex LLC
Address: 111 Lake Front Drive; Hunt Valley, MD 21030; USA
Telephone Number: (443) 541-8800 Fax Number: Not available.
Emergency Telephone Number: ChemTel Inc. 1- (800) 255-3924; + 01 (813) 248-0585 (International)
Date Issued: May 6, 2021 Date Revised: May 6, 2021

This SDS complies with the OSHA Hazard Communication Standard 29CFR1910.1200 as revised in May 2012 (GHS). It may not meet requirements in other countries.

SECTION 2 HAZARDS IDENTIFICATION

GHS Classification: **DANGER**
Eye Irritation (Category 1)
Skin Irritation (Category 2)
Acute Toxicity – Oral (Category 4)
Aquatic Acute Toxicity (Category 1)



GHS Hazard Statements: Causes serious eye damage
Causes skin irritation
Harmful if swallowed
Very toxic to aquatic life

GHS Precautionary Statements: **Prevention:**
Wash hands/skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Avoid breathing dust.
Do not eat, drink or smoke when using this product.
Avoid release to the environment.

Response:
Immediately call a poison center/doctor/hospital.
If swallowed: Call a poison center/doctor/hospital if you feel unwell.
Rinse mouth.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If on skin: Wash with plenty of water/soap.
Take off contaminated clothing and wash it before reuse.
Collect spillage.

SECTION 2 HAZARDS IDENTIFICATIONStorage:

None.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

GHS

Assessment:

Approximately 57% of this mixture consists of ingredient(s) of unknown acute toxicity.

Approximately 57% of the mixture consists of ingredient(s) of unknown hazards to the aquatic environment.

SECTION 3 COMPOSITION / INGREDIENTS

Component	CAS Number	EC Number	Concentration
Polymer	Proprietary	—	45 - 60%
Quaternary ammonium compound(s)	Proprietary	—	35 - 50%

Trade Secret Claims: Specific chemical identity and/or exact percentage (concentration) of components has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

- First Aid - Eyes:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention, if irritation develops.
- First Aid - Skin:** In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately if irritation or rash develops and/or persists. Wash contaminated clothing before reuse.
- First Aid - Ingestion:** If swallowed and feel unwell, call a physician or poison control center. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person.
- First Aid - Inhalation:** If respiratory symptoms or other symptoms of exposure develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek immediate medical attention. If victim is not breathing, clear airway and immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.
- Important Symptoms / Effects – Acute and Delayed:** Tissue inflammation, skin/tissue ulceration or burns, nausea, difficulty breathing.
- Advice to Physician:** Treat symptomatically.

SECTION 5 FIRE FIGHTING MEASURES

- Extinguishing Media:** Treat surrounding material. Water spray, dry chemical, carbon dioxide, or foam is recommended. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces.
- Specific Hazards:** This product is not flammable. This product may give rise to hazardous vapors in a fire. Vapors/fumes may be irritating, corrosive and/or toxic.
- Protective equipment and procedures for fire-fighters:** Wear full protective clothing and self-contained breathing apparatus.
- Additional Advice:** None.

SECTION 6 ACCIDENTAL RELEASE MEASURES

- Spill Procedures: Sweep up spilled material and transfer into suitable containers for recovery or disposal. Finally flush area with water.
- Personal Precautions: Wear suitable protective clothing.
- Environmental Precautions: Prevent the material from entering drains or water courses. Do not discharge directly to a water source. Advise Authorities if spillage has entered watercourse or sewer or has contaminated soil or vegetation.

SECTION 7 HANDLING AND STORAGE

- Handling: Wear appropriate personal protection (See Section 8) when handling this material. The work area must be equipped with a safety shower and eye wash station. If exposed to the solid, avoid contact with skin and eyes. Wash thoroughly after handling.
- Storage: Keep container(s) tightly closed. Use and store this material at temperatures between 15.5°C and 26.7°C (60-80°F) away from heat, direct sunlight and hot metal surfaces. Keep away from any incompatible materials (see Section 10).
- Additional Advice: Store in original container. Store as directed by the manufacturer.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

- Occupational Exposure Standards: Exposure limits are listed below, if they exist.
- Polymer: (as Particulates not otherwise regulated)
 OSHA PEL: 15 mg/m³ TWA (total).
 OSHA PEL: 5 mg/m³ TWA (respirable fraction).
- Quaternary ammonium compound(s): None.
- Engineering Control Measures: Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (local exhaust), and control of process conditions.
- Respiratory Protection: A NIOSH certified air purifying respirator with an dust/organic cartridge may be used under conditions where airborne concentrations are expected to exceed exposure limits.
- Hand Protection: The use of gloves impervious to the specific material handled is advised to prevent skin contact, possible irritation and skin damage (see glove manufacturer literature for information on permeability).
- Eye Protection: Approved eye protection (safety glasses with side-shields or goggles) to safeguard against potential eye contact, irritation, or injury is recommended. Depending on conditions of use, a face shield may be necessary.
- Body Protection: Impervious clothing should be worn as needed to prevent skin contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

- Physical State: Solid
- Color: Blue
- Odor: Characteristic
- Odor Threshold: Not available.
- pH: 4.79 - 6.39
- Melting Point/Range (°C/°F): Not available.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point/Range (°C/°F):	Not available.
Flash Point (PMCC) (°C/°F):	Not flammable.
Evaporation Rate:	Not available.
Flammability / Explosivity Limits in Air (%):	Not available.
Vapor Pressure:	Not available.
Vapor Density (Air = 1):	Not available.
Relative Density:	> 1.0 (23.9°C)
Solubility in Water:	Partly soluble (> 45%)
Partition Coefficient:	Not available.
Autoignition Temperature (°C/°F):	Not available.
Decomposition Temperature (°C/°F):	Not available.
Viscosity:	Not available.
Explosive Properties:	None.
Oxidizing Properties:	None.
Volatile Organic Content (VOC) (g/l):	ca. 0 g/l (as defined by 40CFR51.100)

SECTION 10 STABILITY AND REACTIVITY

Reactivity:	Product will not undergo additional reaction.
Stability:	Stable under normal storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Contact with incompatible materials, excessive heat.
Incompatibilities:	Oxidizing agents, strong acids, strong bases.
Hazardous Decomposition Products:	Oxides of carbon, oxides of nitrogen, oxides of silicon, amines, metal oxides, aromatic and aliphatic compounds, toxic by-products.

SECTION 11 TOXICOLOGICAL INFORMATION

If available, toxicity data for the product is given; otherwise component data is listed.

Acute Toxicity:	This product may be harmful, if swallowed. (Polymer) No data. (Quaternary ammonium compound(s)) Oral LD50 (rat) 400 mg/kg; Dermal LD50 (rabbit) > 2000 mg/kg
Skin Corrosion / Irritation:	The product may be irritating to skin based on Corrositex results. (Polymer) No data. (Quaternary ammonium compound(s)) Possibly corrosive to skin.
Serious Eye Damage / Irritation:	The product may be severely irritating to eyes with possible damage. (Polymer) No data. (Quaternary ammonium compound(s)) Possibly corrosive to eyes.
Respiratory or Skin Sensitization:	The product is not expected to be dermally sensitizing. (Polymer) No data. (Quaternary ammonium compound(s)) Not dermally sensitizing (guinea pig).
Mutagenicity:	This product is not expected to be mutagenic. (Polymer) No data.

SECTION 11 TOXICOLOGICAL INFORMATION

	(Quaternary ammonium compound(s)) No data.
Carcinogenicity:	This product is not expected to be carcinogenic. (Polymer) No data. (Quaternary ammonium compound(s)) No data.
Reproductive / Developmental Toxicity:	This product is not expected to be developmentally harmful. (Polymer) No data. (Quaternary ammonium compound(s)) No data.
Chronic/Subchronic Toxicity: Specific Target Organ/Systemic Toxicity – Single Exposure:	(Polymer) No data. (Quaternary ammonium compound(s)) No data.
Chronic/Subchronic Toxicity: Specific Target Organ/Systemic Toxicity – Repeated Exposure:	(Polymer) No data. (Quaternary ammonium compound(s)) No data.
Aspiration Hazard:	This product is not expected to be an aspiration hazard.
Additional Information:	None.

SECTION 12 ECOLOGICAL INFORMATION

If available, ecological data for the product is given; otherwise component data is listed.

Acute Ecotoxicity:	This product may be very toxic to aquatic species. (Polymer) No data. (Quaternary ammonium compound(s)) LC50 (fish) 0.86 ppm/96 hr; EC50 (Daphnia magna) 0.006 mg/l/48 hr; LC50 (algae) 0.063 mg/l/96 hr.
Mobility:	(Polymer) No data. (Quaternary ammonium compound(s)) No data.
Persistence/Degradability:	(Polymer) No data. (Quaternary ammonium compound(s)) Readily biodegradable.
Bioaccumulation:	(Polymer) No data. (Quaternary ammonium compound(s)) No data.
Other adverse effects:	None.

SECTION 13 DISPOSAL CONSIDERATION

Environmental precautions:	Prevent the material from entering drains or water courses. Do not discharge directly to a water source. Advise Authorities if spillage has entered watercourse or sewer or has contaminated soil or vegetation.
Product Disposal:	Dispose in accordance with all local, state (provincial), and federal regulations. Under RCRA, it is the responsibility of the product's user to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because the product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.
Container Disposal:	Do not remove label until container is thoroughly cleaned. Empty containers may contain hazardous residues. This material and its container must be disposed of in a safe way.

SECTION 14 TRANSPORT INFORMATION

DOT Proper Shipping Name:	Not regulated
---------------------------	---------------

SECTION 14 TRANSPORT INFORMATION

UN Number:	None.
UN Class:	None.
UN Packaging Group:	None.
Reportable Quantity:	None.
Marine Pollutant:	This product does not contain a listed marine pollutant; however, this product will meet the criteria of a marine pollutant under the IMDG Code.

Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Consult current IATA Regulations prior to shipping by air.

SECTION 15 REGULATORY INFORMATION

US Toxic Substance Control Act:	All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Canadian Domestic Substance List:	One or more component(s) of this product are not listed on the Canadian Domestic List. Limited quantities may be permitted.
EU Existing Inventory of Chemical Substances:	One or more component(s) of this product are not in compliance with the inventory listing requirements of the E.U. Existing Inventory of Chemical Substances (EINECS). One or more component(s) of this product have not been pre-listed under REACH. Limited quantities may be permitted.
TSCA Sec.12(b) Export Notification:	This product does not contain a chemical at or above de minimis concentrations which requires reporting.
Canadian WHMIS Classification:	D.2.B This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.
Massachusetts Right-To-Know:	This product does not contain materials subject to disclosure under the Massachusetts' Right-To-Know Law.
New Jersey Right-To-Know:	This product does not contain materials subject to disclosure under the New Jersey's Right-To-Know Law.
Pennsylvania Right-To-Know:	This product does not contain materials subject to disclosure under the Pennsylvania's Right-To-Know Law.
California Proposition 65:	This product contains materials which the State of California has found to cause cancer, birth defects or other reproductive harm: - Dioxane, 1,4- (< 0.0006%) - Acetaldehyde (< 0.0006%) - Ethylene oxide (< 0.0006%) - Methanol (< 0.0006%) - Diethanolamine (< 0.003%)
SARA TITLE III-Section 311/312 Categorization (40 CFR 370):	Immediate (acute) hazard
SARA TITLE III-Section 313 (40 CFR 372):	This product does not contain materials which are listed in Section 313 at or above de minimis concentrations.
CERCLA Hazardous Substance (40 CFR 302)	This product does not contain materials subject to reporting under CERCLA and Section 304 of EPCRA.
Water Hazard Class (WGK):	This product is severely water-endangering (WGK=3).

SECTION 15 REGULATORY INFORMATION

Other Chemical Inventories:

Australia (AICS):	One or more component(s) not listed.
China (IECSC):	One or more component(s) not listed.
Japan (ENCS):	One or more component(s) not listed.
Korea (KCI):	One or more component(s) not listed.
Philippines (PICCS):	One or more component(s) not listed.

SECTION 16 OTHER INFORMATION

NFPA Rating - HEALTH: 1
 NFPA Rating - FIRE: 1
 NFPA Rating - REACTIVITY: 0
 NFPA Rating - SPECIAL: NONE
 SDS Date Issued: May 6, 2021
 SDS Current Version: 1.0 Version Date: May 6, 2021
 SDS Revision History: v1.0 Initial version.

Abbreviations:

GHS:	Globally Harmonized System of Classification and Labeling of Chemicals
CAS#:	Chemical Abstract Services Number
ACGIH:	American Conference of Governmental Industrial Hygienists
OSHA:	Occupational Safety and Health Administration
NFPA:	National Fire Protection Association
DOT:	US Department of Transportation
RCRA:	US Resource Conservation and Recovery Act
TLV:	Threshold Limit Value
TWA:	Time-Weighted Average
PEL:	Permissible Exposure Limit
STEL:	Short Term Exposure Limit
WEEL:	Workplace Environmental Exposure Levels
AIHA:	American Industrial Hygiene Association
NTP:	National Toxicology Program
IARC:	International Agency for Research on Cancer
R:	Risk
S:	Safety
LD50:	Lethal Dose 50%
LC50:	Lethal Concentration 50%
EC50:	Effective Concentration 50%
BCF:	Bioconcentration Factor
BOD:	Biological Oxygen Demand
Koc:	Soil Organic Carbon Partition Coefficient
Tlm:	Median Tolerance Limit

Key References:

- United States National Library of Medicine's TOXNET
- Patty's Toxicology, 5th Edition
- European Commission's Institute for Health and Consumer Protection
- American Conference of Governmental Industrial Hygienists
- International Agency for Research on Cancer
- United States National Toxicology Program
- United States Occupational Safety and Health Administration
- United States Department of Transportation
- Supplier Material Safety Data Sheets

Disclaimer: *The data contained herein is based on information that the company believes to be reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its suitability for a given situation. Such data relates only to the specific product described and*

SECTION 16 OTHER INFORMATION

not to such products in combination with any other product and no agent of the company is authorized to vary any of such data. The company and its agents disclaim all liability for any action taken or foregone on reliance upon such data.

Prepared by:

ChemOne Compliance, LLC



ProvaGrate™

Item Size	Item Code	Quantity
Ring	40600127	24/case
7T	40600128	

EPA Reg. No. #59682-1-63761

BENEFITS

Easy and Safe to Use

- o Easy to use: set-and-forget
- o Slim, flexible design
- o Long lasting, slow release polymer technology
- o Not regulated for transport

Enhances Sanitation Programs

- o Proprietary biocide formulation
- o Keeps overhead drip pans clear and clean for up to 3 months between Sterilex Ultra Disinfectant Cleaner Solution 1 and Ultra Soft Metal Activator biofilm removal treatments.
- o Keeps lines free from clogs
- o Keeps drains free from clogs
- o Maintains drain surfaces between biofilm removal treatments with Sterilex Ultra Disinfectant Cleaner Solution 1 and Sterilex Ultra Activator
- o Saves labor by reducing drain cleaning frequency

PRODUCT OVERVIEW

ProvaGrate™ is an EPA-registered, time release biocide effective against the growth of fungi, mildew, slime, algae and odor-causing bacteria. ProvaGrate's long-lasting, slow-release polymer technology keeps HVAC drip pans and drains free flowing between biofilm removal treatments and extends the maintenance interval needed between cleaning and disinfection events. For biofilm removal, please ask about our Sterilex programs.

APPLICATIONS

- o Overhead air unit drip pans
- o Freezer drip/condensate areas
- o Cooling tunnel drip pans
- o Drains

PROPERTIES

Form	Solid
Appearance	Purple
Odor	Characteristic, Disinfectants



Questions? Call Us! 443.541.8800

COMPATIBILITY

Compatibility test for Sterilex Ultra Step on common materials.

Material	Compatibility
Aluminum 1100	Compatible
Aluminum 3003	Semi-Compatible ¹
Aluminum 5052	Compatible
Aluminum 6061	Compatible
Aluminum 7075	Semi-Compatible ¹
Sealed Concrete	Compatible

¹Staining, Minor Corrosion, Color Change

Material	Compatibility
Epoxy Concrete Coating (Tuffcrete or Similar)	Compatible
Dairy Brick	Compatible
Carbon Steel	Compatible
Stainless 304	Compatible
Stainless 316	Compatible
Unsealed Concrete	Non-Compatible

AUTHORIZATION

This product is registered as an antimicrobial product and can be used on non-food contact surfaces under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) by the Office of Pesticide Programs, United States Environmental Protection Agency (EPA). The products can be used in USDA and FDA inspected facilities, industrial plants and animal care facilities when used according to label direction.

DIRECTIONS FOR USE

Refer to label for full directions for use.

In HVAC drip pans, refrigerators, coolers, etc.


Clean and disinfect unit or drip pan according to manufacturer's recommendations, removing as much biofilm and organic matter as possible with mechanical action or registered biofilm removal agents. Place ProvaGrate block in drip pan near drain line, ensuring product will contact liquid in the drop pan.

In drains

Utilize Sterilex Ultra Disinfectant Cleaner Solution 1 and Sterilex Ultra Activator to clean, disinfect and remove as much biofilm and organic matter as possible. When drain is clean, place ProvaGrate ring in drain trap, so that flowing water will contact ring.

STORAGE

See product label and SDS (Safety Data Sheet) for full storage, disposal and safety information.



Sterilex products are available from sanitation chemical providers. Please contact us for more information.
www.sterilex.com | marketing@sterilex.com | 1.800.511.1659 | 111 Lake Front Drive, Hunt Valley, MD 21030

The content in this marketing material is provided for informational purposes only and does not supersede the product label requirements. Approved label claims may vary depending on geography, use site, organism, or other factors. Always refer to the product label for complete directions for use.