



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/10/2016

Reviewed and Updated on: 09/02/2015

1 Identification

Product identifier

Trade name: FILM FIGHTER HD

Product Code: 166025

Manufacturer/Supplier:

Hydro-Chem Systems, Inc.
5550 Clay Avenue S.W.
Grand Rapids, MI 49548, U.S.A.
Tel: 1-800-666-1992 / Fax: 616-531-8692
www.hydrochemsystems.com

Information department: Chemical Department

Emergency telephone number:

PERS: 1-800-633-8253 #9120 (Emergency Contact for Hazardous Materials Accidents, Spills, or Leaks Only)

2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS05 GHS08

Signal word Danger

Hazard-determining components of labeling:

Sodium Hydroxide
Disodium Trioxosilicate
Alcohol Ethoxylate
Alcohol Ethoxylate
Surfactant Polymer

Hazard statements

Causes severe skin burns and eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.

Precautionary statements

Do not breathe dusts or mists.

(Contd. on page 2)



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/10/2016

Reviewed and Updated on: 09/02/2015

Trade name: **FILM FIGHTER HD**

(Contd. of page 1)

[In case of inadequate ventilation] wear respiratory protection.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

	Proprietary Surfactant Blend	≤ 2.5%
1310-73-2	Sodium Hydroxide	≤ 2.5%
6834-92-0	Disodium Trioxosilicate	≤ 2.5%
5064-31-3	trisodium nitrilotriacetate	≤ 2.5%

* 4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Maintain an ANSI approved eye wash station and safety shower in the immediate vicinity capable of delivering tepid water (60-100 degrees F) for 15 minutes.

After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/10/2016

Reviewed and Updated on: 09/02/2015

Trade name: FILM FIGHTER HD

(Contd. of page 2)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment (safety goggles, rubber gloves). Keep unprotected persons away.

Environmental precautions: Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/10/2016

Reviewed and Updated on: 09/02/2015

Trade name: **FILM FIGHTER HD**

(Contd. of page 3)

Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Chemical Resistant, neoprene, nitrile, butyl rubber

Eye protection:

Tightly sealed goggles

Body protection:**Boots** Chemical Resistant, Rubber**Apron** Chemical Resistant; Rubber.

*

9 Physical and chemical properties**Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Color:	Red
Odor:	Characteristic

pH-value at 20 °C (68 °F): >12.5**Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

Flash point: Not Determined.**Flammability (solid, gaseous):** Not applicable.

(Contd. on page 5)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/10/2016

Reviewed and Updated on: 09/02/2015

Trade name: **FILM FIGHTER HD**

(Contd. of page 4)

Ignition temperature:**Decomposition temperature:** Not determined.**Auto igniting:** Product is not selfigniting.**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:****Lower:** Not determined.**Upper:** Not determined.**Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)**Density:** Not determined.**Relative density** Not determined.**Vapor density** Not determined.**Evaporation rate** Not determined.**Solubility in / Miscibility with****Water:** Fully miscible.**Solvent content:****Organic solvents:** 0.0 %**Other information** No further relevant information available.* **10 Stability and reactivity****Reactivity** No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.* **11 Toxicological information****Information on toxicological effects****Acute toxicity:****LD/LC50 values that are relevant for classification:****1310-73-2 Sodium Hydroxide**

Oral LD50 2000 mg/kg (rat)

68439-46-3 Alcohol Ethoxylate

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 3300 mg/kg (rat)

Cationic Surfactant

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >11200 mg/kg (rabbit)

Primary irritant effect:**on the skin:** Strong caustic effect on skin and mucous membranes.**on the eye:**

Strong caustic effect.

(Contd. on page 6)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/10/2016

Reviewed and Updated on: 09/02/2015

Trade name: **FILM FIGHTER HD**

(Contd. of page 5)

Strong irritant with the danger of severe eye injury.

Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories**IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

* **12 Ecological information****Toxicity****Aquatic toxicity:**

68439-46-3 Alcohol Ethoxylate

EC50 | 5.3 mg/kg (daphnia)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:**General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations**Waste treatment methods****Recommendation:**

Must not be disposed of together with household garbage. Dispose of in accordance with local and regional regulations.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/10/2016

Reviewed and Updated on: 09/02/2015

Trade name: **FILM FIGHTER HD**

Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 6)

14 Transport information

UN-Number
DOT, ADR, IMDG, IATA UN1824

UN proper shipping name
DOT, IATA Sodium hydroxide solution
ADR 1824 Sodium hydroxide solution
IMDG SODIUM HYDROXIDE SOLUTION

Transport hazard class(es)

DOT



Class 8 Corrosive substances
Label 8

ADR, IMDG, IATA



Class 8 Corrosive substances
Label 8

Packing group
DOT, ADR, IMDG, IATA III

Environmental hazards:
Marine pollutant: No

Special precautions for user Warning: Corrosive substances
Danger code (Kemler): 80
Segregation groups Alkalis
Stowage Category A
Segregation Code SG35 Stow "separated from" acids.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT
Quantity limitations On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

ADR
Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 8)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/10/2016

Reviewed and Updated on: 09/02/2015

Trade name: **FILM FIGHTER HD**

(Contd. of page 7)

IMDG**Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III

*

15 Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components of this product are listed on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

Proposition 65**Chemicals known to cause cancer:**

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories**EPA (Environmental Protection Agency)**

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS05

GHS08

Signal word Danger**Hazard-determining components of labeling:**

Sodium Hydroxide

(Contd. on page 9)

US



Safety Data Sheet

acc. to OSHA HCS

Printing date 03/10/2016

Reviewed and Updated on: 09/02/2015

Trade name: FILM FIGHTER HD

(Contd. of page 8)

Disodium Trioxosilicate

Alcohol Ethoxylate

Alcohol Ethoxylate

Surfactant Polymer

Hazard statements

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Precautionary statements

Do not breathe dusts or mists.

[In case of inadequate ventilation] wear respiratory protection.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

*

16 Other information

DISCLAIMER: IMPORTANT: The information presented herein is believed to be reliable, and relates to the specific material listed and may not be valid for such material combined with other materials outside the scope of intended usage. No warranty of guarantee is made and it remains the user's responsibility to confirm by other investigation as to safe material application. The manufacturer shall not be liable for damage to person or property resulting from the use of this product. It is the customer's responsibility to investigate any potential allergic or health problems of all users.

Department issuing SDS: Chemical Department**Contact:** Hydro-Chem Systems, Inc.**Date of preparation / last revision** 03/10/2016 / 15*** Data compared to the previous version altered.**

US