



G31 – CS5008, CS5009, CS5010, CS5011

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/07/2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : CS5008, CS5009, CS5010, CS5011

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Supplemental Coolant Additive

1.3. Details of the supplier of the safety data sheet

Baldwin Filters
4400 E Highway 30
Kearney, NE 68847 - US
T 800-822-5394
baldwin.info@parker.com - www.baldwinfilter.com

1.4. Emergency telephone number

Emergency number : 800-424-9300 Inside the U.S., Canada and the U.S. Virgin Islands
703-527-3887 Outside the U.S. (Collect calls accepted.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irrit. 2 H315
Eye Irrit. 2 H319
Skin Sens. 1 H317
Repr. 1B H360
Aquatic Acute 2 H401
Aquatic Chronic 3 H412
Full text of H statements: see section 16

2.2. Label elements

GHS-US labeling



Hazard pictograms (GHS-US) :

Signal word (GHS-US) :

Hazard statements (GHS-US) :

: Danger
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H360 - May damage fertility or the unborn child
H401 - Toxic to aquatic life
H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS-US) : P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P264 - Wash hands, forearms and face thoroughly after handling
P272 - Contaminated work clothing must not be allowed out of the workplace
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302+P352 - If on skin: Wash with plenty of soap and water
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - If exposed or concerned: Get medical advice/attention
P332+P313 - If skin irritation occurs: Get medical advice/attention
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P363 - Wash contaminated clothing before reuse
P405 - Store locked up
P501 - Dispose in a safe manner in accordance with local/national regulations

G31

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

3.79% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Sodium Nitrite	(CAS No) 7632-00-0	1 - 5	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2A, H319 Aquatic Acute 1, H400
Sodium Mercaptobenzothiazole	(CAS No) 2492-26-4	1 - 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Disodium Tetraborate, Anhydrous	(CAS No) 1330-43-4	< 1	Eye Irrit. 2, H319 Repr. 1B, H360

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May damage fertility or the unborn child.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

G31

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

TR84718 - Liquid		
ACGIH	Not applicable	
OSHA	Not applicable	
Sodium Nitrite (7632-00-0)		
ACGIH	Not applicable	
OSHA	Not applicable	
Sodium Mercaptobenzothiazole (2492-26-4)		
ACGIH	Not applicable	
OSHA	Not applicable	
Disodium Tetraborate, Anhydrous (1330-43-4)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m³ (inhalable particulate matter)
ACGIH	ACGIH STEL (mg/m³)	6 mg/m³ (inhalable particulate matter)
OSHA	Not applicable	

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves/protective clothing/eye protection/face protection.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information : Do not eat, drink or smoke during use.

G31

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: red
Odor	: mild
Odor threshold	: No data available
pH	: 10.8 - 11.8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -3 °C
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: 2.4 kPa
Relative vapor density at 20 °C	: ≤ 1
Relative density	: No data available
Density	: 1.042 - 1.064 g/ml
Solubility	: Water: 100 %
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Acute toxicity : Not classified

Sodium Nitrite (7632-00-0)	
LD50 oral rat	85 mg/kg
LC50 inhalation rat (mg/l)	5.5 mg/l/4h
ATE US (oral)	85.000 mg/kg bodyweight
ATE US (vapors)	5.500 mg/l/4h
ATE US (dust, mist)	5.500 mg/l/4h

Sodium Mercaptobenzothiazole (2492-26-4)	
LD50 oral rat	1476 mg/kg
LD50 dermal rabbit	> 7940 mg/kg
LC50 inhalation rat (mg/l)	> 8.2 mg/l (Exposure time: 6h)
ATE US (oral)	1476.000 mg/kg bodyweight

Disodium Tetraborate, Anhydrous (1330-43-4)	
LD50 oral rat	2660 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	2660.000 mg/kg bodyweight

Skin corrosion/irritation : Causes skin irritation
pH: 10.8 - 11.8

Serious eye damage/irritation : Causes serious eye irritation
pH: 10.8 - 11.8

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child.

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

SECTION 12: Ecological information**12.1. Toxicity**

Ecology - water : Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Sodium Nitrite (7632-00-0)	
LC50 fishes 1	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 fish 2	0.092 - 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

Sodium Mercaptobenzothiazole (2492-26-4)	
LC50 fishes 1	0.3 - 1.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	1.9 - 5.1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	3.8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

Disodium Tetraborate, Anhydrous (1330-43-4)	
LC50 fish 1	340 mg/l (Exposure time: 96 h - Species: Limanda limanda)
EC50 Daphnia 1	1085 - 1402 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

TR84718 - Liquid	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

TR84718 - Liquid	
Bioaccumulative potential	Not established.

Sodium Nitrite (7632-00-0)	
Log Pow	-3.7 (at 25 °C)

Sodium Mercaptobenzothiazole (2492-26-4)	
Log Pow	-0.46

Disodium Tetraborate, Anhydrous (1330-43-4)	
BCF fish 1	(no evidence of bioaccumulation)

12.4. Mobility in soil

No additional information available

2.5. Other adverse effects

Effect on the global warming : No known effects from this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
 Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

UN-No.(DOT) : UN3082
 UN-No. (IMDG) : Non Regulated
 UN-No.(IATA) : Non Regulated

G31

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Environmentally Hazardous Substances, Liquid, N.O.S. (Sodium Nitrite) RQ of 2400 lb
Proper Shipping Name (IMDG)	: Non-Regulated
Proper Shipping Name (IATA)	: Non-Regulated

14.3. Transport hazard class(es)

Department of Transportation (DOT) Hazard Classes	: 9 - Class 9 (Miscellaneous dangerous materials)
---	---

Hazard labels (DOT)	: 9
---------------------	-----



Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

14.4. Packing group

Packing group (DOT)	: III
---------------------	-------

Packing group (IMDG)	: Not applicable
----------------------	------------------

Packing group (IATA)	: Not applicable
----------------------	------------------

14.5. Environmental hazards

Marine pollutant(DOT)	: No
-----------------------	------

Marine pollutant(IMDG)	: No
------------------------	------

Marine pollutant(IATA)	: No
------------------------	------

SECTION 15: Regulatory information**15.1. US Federal regulations**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Sodium Nitrite	CAS No 7632-00-0	1 – 5%
Phenolphthalein	CAS No 77-09-8	< 1%

Sodium Nitrite (7632-00-0)

Subject to reporting requirements of United States SARA Section 313

EPA TSCA Regulatory Flag	S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule.
CERCLA RQ	100 lb
SARA Section 313 - Emission Reporting	1 %

Sodium Polyacrylate (9003-04-7)

EPA TSCA Regulatory Flag	XU – XU – indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e., Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).
--------------------------	--

Phenolphthalein (77-09-8)

Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting	0.1 %
---------------------------------------	-------

15.2. International regulations**CANADA****Sodium Nitrite (7632-00-0)**

Listed on the Canadian DSL (Domestic Substances List)

Sodium Mercaptobenzothiazole (2492-26-4)

Listed on the Canadian DSL (Domestic Substances List)

Disodium tetraborate, anhydrous (1330-43-4)

Listed on the Canadian DSL (Domestic Substances List)

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive harm.

Phenolphthalein (77-09-8)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk (NSRL)
Yes	No	No	No	

G31

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Revision date : 08-07-2017

Abbreviations and acronyms : Acute Toxicity Estimate. Bioconcentration factor. Median Effective concentration. International Air Transport Association. International Maritime Dangerous Goods. Median lethal concentration. Median lethal dose.

Other information : None.

Full text of H-phrases :


H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H360	May damage fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

NFPA health hazard : 3 – Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone and sand.

NFPA reactivity : 0 – Material that in themselves are normally stable, even under fire conditions.

NFPA specific hazard : NA – Not Applicable



HMIS III Rating

Health : 3 – Serious Hazard – Major injury likely unless prompt action is taken and medical treatment is given.

Flammability : 0 – Minimal Hazard

Physical : 0 – Minimal Hazard

Personal Protection : C

Baldwin Filters SDS

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.