



SAFETY DATA SHEET

1. Identification of the Substance and Company

Staphene® Disinfectant**Spray and Deodorizer****Product No. 6389**

SDS No. 6389US

Prepared by: M. Ebers

asksteris_msds@steris.com

Date Created: December 1, 2001

Date Revised: March 31, 2015

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US

Emergency Telephone No.1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)

Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

2. Hazards Identification: Eye and skin irritant. Contents under pressure. Contains a flammable propellant

3. Composition/Information on Ingredients

| Hazardous Component(s) | EEC No. | CAS No. | % By Wt. | Symbol | R Phrases |
|--|---------|------------|----------|--------|-----------|
| o-benzyl-p-chlorophenol | NA | 120-32-1 | 0.077 | NA | NA |
| p-tertiary amyphenol | NA | 80-46-6 | 0.074 | NA | NA |
| #2-phenylphenol | NA | 90-43-7 | 0.041 | NA | NA |
| n-alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides | NA | 68391-01-5 | 0.042 | NA | NA |
| n-alkyl (50% C12, 30% C14, 17% C16, 3% C18) dimethyl benzyl ammonium chlorides | NA | 68956-79-6 | 0.042 | NA | NA |
| Ethyl alcohol | NA | 64-17-5 | 53.096 | NA | NA |
| Propane/Isobutane | NA | 74-98-6 | < 21 | NA | NA |

4. First Aid Measures

Eye Contact: Flush eyes immediately with water for at least 15 minutes. Get medical attention if irritation develops.**Skin Contact:** Flush skin immediately with plenty of water for at least 15 minutes. Get medical attention if irritation develops.**Inhalation:** Remove patient to fresh air. If not breathing, give artificial respiration. Get medical attention.**Ingestion:** Do not induce vomiting. Get medical attention. Do not give anything by mouth to an unconscious person. If conscious, drink large quantity of milk or water.

5. Fire-Fighting Measures

Flash Point: Contains a flammable propellant. Flame projection less than 18 inches.**Flammability Classification:** NFPA 30B Level 2**Special Hazards:** None known.**Extinguishing Media:** If pressurized cans rupture, treat as alcohol fire.**Special Fire Fighting Procedures:** Aerosol cans will rupture in fire. Cool from a distance with water.

6. Accidental Release Measures

Product is an aerosol in a pressurized can. Excess sprayed quantities should quickly evaporate. Flush with water.

7. Handling and Storage

7.1 Handling: This product will not freeze. It does not perform properly if used or rapidly heated immediately after removal from unheated storage.**7.2 Storage:** Store at normal room temperature for 24-48 hours following any prolonged exposure to cold. Do not puncture, incinerate or store above 100F.

8. Exposure Control/Personal Protection

8.1 Occupational Exposure Limits

Ethyl alcohol: ACGIH TLV and OSHA PEL = 1,000 ppm

Propane/Isobutane: ACGIH TLV and OSHA PEL = 1,000 ppm

8.2 Personal Protection

Respirator Protection: Where TLV and PEL for ethyl alcohol or propane/isobutene are exceeded, a NIOSH/MSHA-approved respirator is recommended.**Eye Protection:** Safety glasses.**Protective Gloves:** Rubber.**Other Protective Clothing and Equipment:** NA.**Ventilation :** Local exhaust ventilation recommended to maintain air concentrations below established limits..

9. Physical and Chemical Properties

Solubility in Water: Appreciable**Specific Gravity:** Approximately 0.874**Appearance/Odor:** Clear liquid (fill)/Mild and pleasant odor.

10. Stability and Reactivity

Stability: Stable**Hazardous Polymerization:** Will not occur.**Incompatible Materials:** None known.**Conditions to Avoid:** Do not store near heat source.**Hazardous Decomposition or Byproducts:** CO, CO₂, HCL.

11. Toxicological Information

11.1 Acute (Primary Routes of Exposure)

Eyes: Spray may irritate eyes.**Skin:** Spray may irritate skin but not a primary irritant. Dermal LD₅₀ (rabbit) > 2,000 mg/kg**Inhalation:** Inhalation LC₅₀ (rat) > 2.05 mg/L. **Ingestion:** Acute Oral LD₅₀ (rats) > 5,000 mg/kg.

11.2 Long Term Exposure

None known.

Carcinogenicity: IARC, NTP and OSHA do not list this product or its ingredients as carcinogens. 2-phenylphenol produced urinary bladder tumors in male rats and liver tumors in male mice when fed exaggerated doses.

12. Ecological Information

None available

13. Disposal Considerations

Product may be flushed to a sanitary sewer with copious amounts of water, if in accordance with state, local and federal regulations. For additional guidance, contact the State Water Board or the Regional Office of the EPA.

14. Transport Information

Ground: UN1950, Aerosols, Flammable Gas, 2.1, LTD QTY**Sea:** UN1950, Aerosols, Flammable Gas, 2.1, LTD QTY**Air :** Packaged not approved for air shipment.

15. Regulatory Information

EPA Registration Number 1043-19

US EPA Regulations: 2-phenylpehnl subject to reporting under Section 313 of Title III (SARA) and 40 CFR 372.**State Regulations:** Not applicable

16. Other Information

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions or recommendations are not followed.

NA - Not Applicable

ND - No Data