

# Safety Data Sheet



Zep, Inc.  
1310 Seaboard Industrial Blvd.  
Atlanta, GA 30318  
1-877-I-BUY-ZEP (428-9937)  
www.zep.com

## Section 1. Chemical Product and Company Identification

**Product name** WHITE SLIDE  
**Product use** Grease.  
**Product code** 3014  
**Date of issue** 02/27/14 **Supersedes** 08/05/08

## Emergency Telephone Numbers

**For MSDS Information:**  
Compliance Services 1-877-I-BUY-ZEP (428-9937)

**For Medical Emergency**  
(877) 541-2016 Toll Free - All Calls Recorded

**For Transportation Emergency**  
CHEMTREC: (800) 424-9300 - All Calls Recorded  
In the District of Columbia (202) 483-7616

**Prepared By**  
Compliance Services  
1259 Seaboard Industrial Blvd.  
Atlanta, GA 30318

## Section 2. Hazards Identification

### Emergency overview

\*Hazard Determination System (HDS): Health, Flammability, Reactivity

WARNING!

MAY CAUSE EYE AND SKIN IRRITATION.



**NOTE:** MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

**Acute Effects** **Routes of Entry** Dermal contact. Eye contact. Inhalation.

**Eyes** May cause slight transient irritation. Inflammation of the eye is characterized by redness, watering and itching.

**Skin** No known acute effects of this product resulting from skin contact. Prolonged or repeated contact may dry skin and cause irritation.

**Inhalation** Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.

**Ingestion** May be harmful if swallowed. Ingestion may cause gastrointestinal irritation and diarrhea.

**Chronic effects** Contains material which may cause damage to the following organs: upper respiratory tract, skin, eyes. Prolonged skin contact may cause dermatitis with drying and cracking of skin.

**Carcinogenicity Classification** Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

**Additional information: See toxicological information (Section 11)**

## Section 3. Composition/Information on Ingredients

Name	CAS number	%
White mineral oil (petroleum)	8042-47-5	<85

## Section 4. First Aid Measures

**Eye Contact** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

**Skin Contact** Wash affected area with soap or mild detergent and water. Get medical attention if irritation develops.

**Inhalation** If inhaled, remove to fresh air. If irritation persists, get medical attention.

**Ingestion** Do not induce vomiting unless directed to do so by medical personnel. If potentially dangerous quantities of this material have been swallowed, call a physician immediately.

**Section 5. Fire Fighting Measures**

National Fire Protection Association (U.S.A.)



<b>Flash Point</b>	Open cup: 235°C (455°F) [Cleveland.]
<b>Flammable Limits</b>	Not applicable.
<b>Flammability</b>	Combustible material - Slight hazard
<b>Fire hazard</b>	No specific fire or explosion hazard.
<b>Fire-Fighting Procedures</b>	Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Section 6. Accidental Release Measures**

<b>Spill Clean up</b>	Stop leak if without risk. Hazard of slipping on spilled product. For large spills, dike spilled material or otherwise contain it to ensure runoff does not reach a waterway. Absorb with an inert material and place in an appropriate waste disposal container.
-----------------------	---



**Section 7. Handling and Storage**

<b>Handling</b>	Put on appropriate personal protective equipment (see Section 8). Avoid contact with eyes. Wash thoroughly after handling. Do not reuse container. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
<b>Storage</b>	Store in accordance with local regulations. Keep container tightly closed and sealed until ready for use. Store between the following temperatures: 40°F - 120°F (4.4°C - 49°C). Keep out of the reach of children.

**Section 8. Exposure Controls/Personal Protection**

Ingredient	Exposure limits
White mineral oil (petroleum)	<b>ACGIH TLV (United States, 3/2012).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction <b>NIOSH REL (United States, 1/2013).</b> TWA: 5 mg/m <sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m <sup>3</sup> 15 minutes. Form: Mist <b>OSHA PEL (United States, 6/2010).</b> TWA: 5 mg/m <sup>3</sup> 8 hours.

**Personal Protective Equipment (PPE)**

<b>Eyes</b>	Safety glasses with side-shields	
<b>Body</b>	For prolonged or repeated handling, use the following type of gloves: Neoprene or Nitrile	
<b>Respiratory</b>	No respiratory protection needed under normal use conditions. Use with adequate ventilation.	

**Section 9. Physical and Chemical Properties**

<b>Physical State</b>	Solid. [Semi-Solid.]	<b>Color</b>	White.
<b>pH</b>	Not applicable.	<b>Odor</b>	Petroleum-like. [Slight]
<b>Boiling Point</b>	Not available.	<b>Vapor Pressure</b>	<0.013 kPa (<0.1 mm Hg) [room temperature]
<b>Specific Gravity</b>	0.96	<b>Vapor Density</b>	>5 [Air = 1]
<b>Solubility</b>	Very slightly soluble in the following materials: cold water and hot water.	<b>Evaporation Rate</b>	<1 (Water = 1)
		<b>VOC (Consumer)</b>	0 % (w/w) 0 lbs/gal (0 g/l)

**Section 10. Stability and Reactivity**

<b>Stability and Reactivity</b>	The product is stable.
<b>Incompatibility</b>	Slightly reactive to reactive with oxidizing agents
<b>Hazardous Polymerization</b>	Under normal conditions of storage and use, hazardous polymerization will not occur.
<b>Hazardous Decomposition Products</b>	sulfur oxides (SO <sub>2</sub> , SO <sub>3</sub> etc.)

**Section 11. Toxicological Information**

Product/ingredient name	Result	Species	Dose	Exposure
White mineral oil (petroleum)	LD50 Oral	Rat	>5000 mg/kg	-

**Section 12. Ecological Information**

**Environmental Effects** Not available.

**Aquatic ecotoxicity**

Not available.

**Section 13. Disposal Considerations****Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

**Waste Stream** Classification: Non-hazardous waste by Characteristic.  
Origin: RCRA waste.

**Section 14. Transport Information**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
<b>DOT Classification</b>	Not regulated.	-	-	-	
<b>IMDG Class</b>	Not regulated.	-	-	-	

**NOTE:** DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG\* : Packing group

**Section 15. Regulatory Information****U.S. Federal Regulations**

SARA 313 toxic chemical notification and release reporting:

**Product name**

No products were found.

**Clean Water Act (CWA) 311:** No products were found.

**Clean Air Act (CAA) 112 regulated toxic substances:** No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

**State Regulations****California Prop 65****Section 16. Other Information**

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.