

# Beltsville Poultry Semen Extender

11/26/2008 13:18 FAX 12627284810

CONTINENTAL PLASTIC

001/001

## MATERIAL SAFETY DATA SHEET

E 9.0

CONTINENTAL PLASTIC CORP.  
540 S. SECOND STREET  
BOX 902  
DELAVAL WI. 53115

PHONE: 262/728-4800

FAX: 262/728-4810

DATE PREPARED: 8/99

### I. PRODUCT IDENTIFICATION

Product Name--Beltsville Poultry Semen Extender  
Chemical Name Not Applicable  
Chemical Family Not Applicable

Formula: Contains various ingredients as stated under Section II.

### II. INGREDIENTS

Potassium Diphosphate, Sodium, Glutamate, Fructose, Sodium Acetate, T.E.S., Potassium Citrate, Potassium Monophosphate, Magnesium Chloride, Gentamycin, FDC Blue #1 Hydrochloric Acid and Distilled Water

### III. PHYSICAL DATA

Boiling Point	NA
Vapor Pressure (mm/Hg)	NA
Vapor Density	NA
Specific gravity	NA
% Volatile by Volume	NA
Evaporation Rate	NA
pH	6.4-6.6
mOsm	340-360
Solubility in Water	NA
Appearance--	light blue, clear colored solution

### IV. FIRE & EXPLOSION DATA

Flash Point	NA
Flammable Limits	NA
Extinguishing Media	NA
Special Fire Fighting Procedures	None
Unusual Fire and Explosion Hazards	None

The information contained herein is, to the best of Continental's knowledge, believed to be accurate and represent the best information currently available. The use of this product is intended by persons having skill and should be used at their own discretion and risk. No representation or warranty, expressed or implied, including the warranties of merchantability and fitness for a particular purpose is made with respect to such information. We assume no liability resulting from its use.

### V. HEALTH EFFECTS DATA

Not applicable.

### VI. EMERGENCY & FIRST AID

In case of contact with eyes, flush thoroughly with water.

### VII. PROTECTION RECOMMENDATIONS

Eye protection is recommended. Product may cause mild irritation in case of contact with eyes.

### VIII. REACTIVITY DATA

Stability	NA
Conditions to avoid	NA
Incompatibility	NA
Hazardous Decomposition Products	NA
Hazardous Polymerization	NA

### IX. SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Flush with water into sewer system.

### X. SPECIAL PRECAUTIONS

Precautions to be taken in handling and storing: Store at room temperature.

*Other precautions--none*