



your partner in food safety

Issue Date: 21-Nov-2017

Revision Date: 23-Aug-2019

Version 1

# Safety Data Sheet

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Entry Foam

### Other means of identification

**SDS #** BIR-008

**Product Code** I02126  
**UN/ID No** UN1760

### Recommended use of the chemical and restrictions on use

**Recommended Use** General purpose for cleaner for entryway foamers and boot washing.

### Details of the supplier of the safety data sheet

#### Supplier Address

Birko Corporation  
9152 Yosemite Street  
Henderson, CO 80640-8027  
www.birkocorp.com

#### Emergency Telephone Number

**Company Phone Number** Phone: 303-289-1090 or 1-800-525-0476  
Fax: 303-289-1190  
**Emergency Telephone (24 hr)** Chemtrec 1-800-424-9300 (North America) 1-703-527-3887 (International)

## 2. HAZARDS IDENTIFICATION

**Appearance** Blue-Light blue liquid      **Physical state** Liquid      **Odor** Mild detergent

### Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

### Signal Word

**Danger**

### Hazard statements

Causes severe skin burns and eye damage



**Precautionary Statements - Prevention**

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards**

Toxic to aquatic life with long lasting effects

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%
n-alkyl dimethyl ethylbenzyl ammonium chloride	68956-79-6	1-10
N-alkyl (c12-c16)-n, n-dimethyl-n-benzyl ammonium Chloride	68391-01-5	1-10
Cocamidopropyl betaine	61789-40-0	<5
Ethyl Alcohol	64-17-5	<5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. \*\*

**4. FIRST AID MEASURES****First Aid Measures****General Advice**

Immediately call a poison center or doctor/physician.

**Eye Contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

**Skin Contact**

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

**Inhalation**

Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor/physician.

**Ingestion**

Rinse mouth. Do NOT induce vomiting.

**Most important symptoms and effects****Symptoms**

May be harmful if swallowed. May cause severe skin burns and eye damage.

**Indication of any immediate medical attention and special treatment needed****Notes to Physician**

Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.**Specific Hazards Arising from the Chemical**

Not determined.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Use personal protective equipment as required.

**Environmental precautions****Environmental precautions**

See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up****Methods for Containment**

Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up**

Keep in suitable, closed containers for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling****Advice on Safe Handling**

Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Store locked up.

**Incompatible Materials**

None known based on information supplied.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>
--

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Mild detergent
<b>Appearance</b>	Blue-Light blue liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Blue-light blue		

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
pH	6	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limits in Air		
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	0.99	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

<b>10. STABILITY AND REACTIVITY</b>
-------------------------------------

**Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to Avoid**

Keep out of reach of children.

### **Incompatible Materials**

None known based on information supplied.

### **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### **Information on likely routes of exposure**

#### **Product Information**

<b>Eye Contact</b>	Avoid contact with eyes.
<b>Skin Contact</b>	Avoid contact with skin.
<b>Inhalation</b>	Do not inhale.
<b>Ingestion</b>	May be harmful if swallowed.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
N-alkyl (c12-c16)-n, n-dimethyl-n-benzyl ammonium Chloride 68391-01-5	= 850 mg/kg (Rat)	= 2300 mg/kg (Rabbit)	-
Cocamidopropyl betaine 61789-40-0	> 10000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Sodium Chloride 7647-14-5	= 3 g/kg (Rat)	> 10 g/kg (Rabbit)	> 42 g/m <sup>3</sup> (Rat) 1 h

### **Information on physical, chemical and toxicological effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	May cause severe skin burns.
<b>Serious eye damage/eye irritation</b>	Causes severe eye damage.
<b>Carcinogenicity</b>	Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

#### **Legend**

**ACGIH** (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

**IARC** (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

**NTP** (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 4,347.00 mg/kg

ATEmix (dermal) 8,485.00 mg/kg

ATEmix (inhalation-dust/mist) 8,543.40 mg/L

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Cocamidopropyl betaine 61789-40-0	1.0 - 10.0: 72 h Desmodesmus subspicatus mg/L EC50 0.55: 96 h Desmodesmus subspicatus mg/L EC50	2: 96 h Brachydanio rerio mg/L LC50 semi-static 1.0 - 10.0: 96 h Brachydanio rerio mg/L LC50	6.5: 48 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5		13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50
Sodium Chloride 7647-14-5		7050: 96 h Pimephales promelas mg/L LC50 semi-static 4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 12946: 96 h Lepomis macrochirus mg/L LC50 static 6420 - 6700: 96 h Pimephales promelas mg/L LC50 static 6020 - 7070: 96 h Pimephales promelas mg/L LC50 static	340.7 - 469.2: 48 h Daphnia magna mg/L EC50 Static 1000: 48 h Daphnia magna mg/L EC50

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Ethyl Alcohol 64-17-5	-0.32

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol 64-17-5	Toxic Ignitable

## 14. TRANSPORT INFORMATION

### Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

### DOT

UN/ID No UN1760  
 Proper Shipping Name Compounds, cleaning liquid (corrosive) (Quaternary Ammonium Compounds)  
 Hazard Class 8  
 Packing Group II

### IATA

UN/ID No UN1760  
 Proper Shipping Name Compounds, cleaning liquid (corrosive) (Quaternary Ammonium Compounds)  
 Hazard Class 8  
 Packing Group II

### IMDG

UN/ID No UN1760  
 Proper Shipping Name Compounds, cleaning liquid (corrosive). (Quaternary Ammonium Compounds)  
 Hazard Class 8  
 Packing Group II  
 Marine Pollutant This material may meet the definition of a marine pollutant

## 15. REGULATORY INFORMATION

### International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
N-alkyl (c12-c16)-n, n-dimethyl-n-benzyl ammonium Chloride	X	X	X	Present	X	Present	X	X
n-alkyl dimethyl ethylbenzyl ammonium chloride	X	X	X		X		X	X
Cocamidopropyl betaine	X	X	X		X	Present	X	X
Ethyl Alcohol	X	X	X	Present	X	Present	X	X
Sodium Chloride	X	X	X	Present	X	Present	X	X

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen Developmental

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 64-17-5	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	0	1	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Reactivity</b>	<b>Personal Protection</b>
	2	0	1	0

Issue Date: 21-Nov-2017  
Revision Date: 23-Aug-2019  
Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**