

**SECTION 1: IDENTIFICATION****Product Identifier****Product Form:** Mixture**Product Name:** Super Alk HD(AFCO 5237-D)**Product Code:** AFCO 5237-D**Intended Use of the Product****Use of the Substance/Mixture:** Heavy duty caustic cleaner for CIP cleaning of food processing equipment. For professional use only.**Name, Address, and Telephone of the Responsible Party****Company**

Alex C. Fergusson, LLC.

800 Development Avenue

Chambersburg, PA 17201

T 800-345-1329

[www.afcocare.com](http://www.afcocare.com)**Emergency Telephone Number****Emergency number** : 1-800-424-9300 (CHEMTREC)**SECTION 2: HAZARDS IDENTIFICATION****Classification of the Substance or Mixture****Classification (GHS-US)**

Met. Corr. 1 H290

Skin Corr. 1A H314

Eye Dam. 1 H318

Aquatic Acute 3 H402

**Label Elements****GHS-US Labeling****Hazard Pictograms (GHS-US)****Signal Word (GHS-US)**

: Danger

**Hazard Statements (GHS-US)**

- : H290 - May be corrosive to metals
- H314 - Causes severe skin burns and eye damage
- H318 - Causes serious eye damage
- H402 - Harmful to aquatic life

**Precautionary Statements (GHS-US)**

- : P234 - Keep only in original container.
- P260 - Do not breathe vapors, mist, spray.
- P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves, protective clothing, eye protection, face protection.
- P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 - Immediately call a POISON CENTER or doctor/physician.
- P321 - Specific treatment (see section 4).
- P363 - Wash contaminated clothing before reuse.
- P390 - Absorb spillage to prevent material damage.

# Super Alk HD (AFCO 5237-D)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P405 - Store locked up.

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations

## Other Hazards

**Other Hazards Not Contributing to the Classification:** Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Corrosive vapors.

**Unknown Acute Toxicity (GHS-US)** Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

### Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	50 - 70	Not classified
Sodium hydroxide	(CAS No) 1310-73-2	30 - 50	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Sodium glucoheptonate	(CAS No) 31138-65-5	1 - 5	Not classified
Aminotri(methylenephosphonic acid)	(CAS No) 6419-19-8	0.1 - 1	Met. Corr. 1, H290 Eye Irrit. 2A, H319

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Corrosive. Causes burns. Causes serious eye damage.

**Inhalation:** May cause respiratory irritation. Inhalation may cause immediate severe irritation progressing quickly to chemical burns.

**Skin Contact:** Contact may cause immediate severe irritation progressing quickly to chemical burns.

**Eye Contact:** Causes serious eye damage.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** Not available

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide, foam, dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Contact with metals may evolve flammable hydrogen gas.

# Super Alk HD (AFCO 5237-D)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Sodium oxides. Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Corrosive vapors.

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

### Reference to Other Sections

Refer to section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do NOT breathe (vapors, mist, spray). Do not get in eyes, on skin, or on clothing.

### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

### Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

### Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Cautiously neutralize spilled liquid. Absorb and/or contain spill with inert material, then place in suitable container.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Do not take up in combustible material such as: saw dust or cellulosic material. Contact competent authorities after a spill. Cautiously neutralize spilled liquid. Absorb spillage to prevent material damage.

### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

**Additional Hazards When Processed:** When heated to decomposition, emits toxic fumes. May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Always wash your hands immediately after handling this product, and once again before leaving the workplace.

### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a well-ventilated place. Keep container tightly closed. Keep/Store away from heat, direct sunlight, extremely high or low temperatures, incompatible materials.

**Incompatible Materials:** Strong acids, strong oxidizers. Metals.

### Specific End Use(s)

Heavy duty caustic cleaner for CIP cleaning of food processing equipment. For professional use only.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Sodium hydroxide (1310-73-2)		
Mexico	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Ontario	OEL Ceiling (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>

# Super Alk HD (AFCO 5237-D)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Québec	PLAFOND (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
--------	------------------------------	---------------------

### Exposure Controls

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Alarm detectors should be used when toxic gases may be released. If user operations generate fumes, vapor, spray, or mist use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Personal Protective Equipment:** Protective clothing. Protective goggles. Gloves Face shield.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics. Corrosionproof clothing.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or face shield.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** None needed under normal and intended conditions of product use.

**Thermal Hazard Protection:** Wear suitable protective clothing.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

<b>Physical State</b>	:	Liquid
<b>Appearance</b>	:	Clear, amber liquid
<b>Odor</b>	:	Slight
<b>Odor Threshold</b>	:	Not available
<b>pH</b>	:	>13
<b>Relative Evaporation Rate (butylacetate=1)</b>	:	Not available
<b>Melting Point</b>	:	Not available
<b>Freezing Point</b>	:	Not available
<b>Boiling Point</b>	:	107.2 °C (224.96°F)
<b>Flash Point</b>	:	None
<b>Auto-ignition Temperature</b>	:	None
<b>Decomposition Temperature</b>	:	Not available
<b>Flammability (solid, gas)</b>	:	Not available
<b>Lower Flammable Limit</b>	:	Not available
<b>Upper Flammable Limit</b>	:	Not available
<b>Vapor Pressure</b>	:	Not available
<b>Relative Vapor Density at 20 °C</b>	:	Not available
<b>Specific Gravity</b>	:	1.38
<b>Solubility</b>	:	Complete.
<b>Partition coefficient: n-octanol/water</b>	:	Not available
<b>Viscosity</b>	:	Not available
<b>Explosion Data – Sensitivity to Mechanical Impact</b>	:	Not expected to present an explosion hazard due to mechanical impact.
<b>Explosion Data – Sensitivity to Static Discharge</b>	:	Not expected to present an explosion hazard due to static discharge.

# Super Alk HD (AFCO 5237-D)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Contact with metals may evolve flammable hydrogen gas.

**Chemical Stability:** Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Incompatible materials.

**Incompatible Materials:** Strong acids. Strong oxidizers. Metals.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Thermal decomposition generates : Toxic gases. Nitrogen oxides. Corrosive vapors.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Causes severe skin burns and eye damage.

**pH:** Not available

**Serious Eye Damage/Irritation:** Causes serious eye damage.

**pH:** Not available

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not available

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Potential Adverse Human Health Effects and Symptoms:** Harmful if inhaled. Harmful if swallowed.

**Symptoms/Injuries After Inhalation:** None under normal and intended conditions of product use.

**Symptoms/Injuries After Skin Contact:** Contact may cause immediate severe irritation progressing quickly to chemical burns.

**Symptoms/Injuries After Eye Contact:** Causes serious eye damage.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

Water (7732-18-5)	
LD50 Oral Rat	> 90000 mg/kg
Aminotri(methylenephosphonic acid) (6419-19-8)	
LD50 Dermal Rabbit	> 6310 mg/kg

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

**Ecology - General:** Harmful to aquatic life.

Sodium hydroxide (1310-73-2)	
LC50 Fish 1	40 mg/l
Aminotri(methylenephosphonic acid) (6419-19-8)	
LC50 Fish 1	8132 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	297 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	19.6 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)
LC 50 Fish 2	330 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

**Persistence and Degradability** Not available

### Bioaccumulative Potential

Super Alk HD (AFCO 5237-D)	
Bioaccumulative Potential	Not established.

# Super Alk HD (AFCO 5237-D)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Aminotri(methylenephosphonic acid) (6419-19-8)</b>	
BCF fish 1	18 - 24
Log Pow	-3.53 (at 25 °C)

### Mobility in Soil Not available

### Other Adverse Effects

Other Information: Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Ecology – Waste Materials:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 In Accordance with DOT

Proper Shipping Name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(Sodium hydroxide)
Hazard Class	: 8
Identification Number	: UN3266
Label Codes	: 8
Packing Group	: III
ERG Number	: 154



### 14.2 In Accordance with IMDG

Proper Shipping Name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(Sodium hydroxide)
Hazard Class	: 8
Identification Number	: UN3266
Packing Group	: III
Label Codes	: 8
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B



### 14.3 In Accordance with IATA

Proper Shipping Name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide)
Packing Group	: III
Identification Number	: UN3266
Hazard Class	: 8
Label Codes	: 8
ERG Code (IATA)	: 8L



### 14.4 In Accordance with TDG

Proper Shipping Name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide)
Packing Group	: III
Hazard Class	: 8
Identification Number	: UN3266
Label Codes	: 8



## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations

Super Alk HD(AFCO 5237-D)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
<b>Water (7732-18-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Sodium hydroxide (1310-73-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

# Super Alk HD (AFCO 5237-D)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Aminotri(methylenephosphonic acid) (6419-19-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Sodium glucoheptonate (31138-65-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## US State Regulations

### Sodium hydroxide (1310-73-2)

U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute

U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728)

U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - New Jersey - Special Health Hazards Substances List

U.S. - New York - Occupational Exposure Limits - TWAs

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

### Aminotri(methylenephosphonic acid) (6419-19-8)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

## Canadian Regulations

### Super Alk HD (AFCO 5237-D)

WHMIS Classification	Class E - Corrosive Material
----------------------	------------------------------



### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
----------------------	---

### Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

WHMIS Classification	Class E - Corrosive Material
----------------------	------------------------------

### Aminotri(methylenephosphonic acid) (6419-19-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification	Class E - Corrosive Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects
----------------------	---

### Sodium glucoheptonate (31138-65-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
----------------------	---

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 5/9/2016

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

# Super Alk HD (AFCO 5237-D)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### GHS Full Text Phrases:

Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H402	Harmful to aquatic life

### NFPA Health Hazard


: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

### NFPA Fire Hazard

: 0 - Materials that will not burn.

### NFPA Reactivity

: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



### HMIS III Rating

Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard
Physical	: 1 Slight Hazard

### Party Responsible for the Preparation of This Document

Alex C. Fergusson, LLC.  
800 Development Avenue  
Chambersburg, PA 17201  
800-345-1329

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America GHS US 2012 & WHMIS 2