

Safety Data Sheet
acc. to OSHA HCS

Printing Date 02/13/2020

Revision Number 7

Revision Date 02/13/2020

1 Identification

- **Product identifier**
- **Trade name:** 12742 (DC12742 SILAPRENE ADHESIVE)
- **Article number:** 12742
- **Relevant identified uses of the substance or mixture.**
Industrial Use Only.
Adhesive
- **Application of the substance / the mixture** Adhesives
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Royal Adhesives And Sealants, LLC
2001 W. Washington Street
South Bend IN 46628-2023
Information Phone Number: 574-246-5000
- **Information department:** Global Regulatory Department.
- **Emergency telephone number:**
ChemTrec: Day or Night within USA and Canada: 1-800-424-9300.
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Danger

- **Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

(Contd. on page 2)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 02/13/2020

Revision Number 7

Revision Date 02/13/2020

Trade name: 12742 (DC12742 SILAPRENE ADHESIVE)

(Contd. of page 1)

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO₂, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2
Fire = 3
Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = 2
FIRE	3	Fire = 3
PHYSICAL HAZARD	0	Physical Hazard = 0

Health = 2
Fire = 3
Physical Hazard = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture

· Hazardous components:

67-64-1 acetone

50-100%

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 02/13/2020

Revision Number 7

Revision Date 02/13/2020

Trade name: 12742 (DC12742 SILAPRENE ADHESIVE)

(Contd. of page 2)

· After eye contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

· After swallowing: Do not induce vomiting; immediately call for medical help.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

*

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

· Protective equipment: Protective clothing and respiratory protective device.

*

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

67-64-1	acetone	200 ppm
---------	---------	---------

· PAC-2:

67-64-1	acetone	3200* ppm
---------	---------	-----------

· PAC-3:

67-64-1	acetone	5700* ppm
---------	---------	-----------

*

7 Handling and storage

· Handling:

· Precautions for safe handling

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 02/13/2020

Revision Number 7

Revision Date 02/13/2020

Trade name: 12742 (DC12742 SILAPRENE ADHESIVE)

(Contd. of page 3)

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep container closed when not in use.

· Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.

· Information about storage in one common storage facility:

Store away from oxidizing agents.
Store as flammable liquid.

· Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

* 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-64-1 acetone

PEL	Long-term value: 2400 mg/m ³ , 1000 ppm
-----	--

REL	Long-term value: 590 mg/m ³ , 250 ppm
-----	--

TLV	Short-term value: 1187 mg/m ³ , 500 ppm
-----	--

	Long-term value: 594 mg/m ³ , 250 ppm
--	--

BEI	
-----	--

· Ingredients with biological limit values:

67-64-1 acetone

BEI	50 mg/L
-----	---------

	Medium: urine
--	---------------

	Time: end of shift
--	--------------------

	Parameter: Acetone (nonspecific)
--	----------------------------------

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment (see listings below)

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 02/13/2020

Revision Number 7

Revision Date 02/13/2020

Trade name: 12742 (DC12742 SILAPRENE ADHESIVE)

(Contd. of page 4)

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Safety glasses with side shields.

· Body protection: Protective work clothing

* 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Color: Amber colored

· Odor: Characteristic

· Odor threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point: Undetermined.

Boiling point: 55 °C (131 °F)

· Flash point: -19 °C (-2.2 °F)

· Ignition temperature: 465.0 °C (869 °F)

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Flammable limits:

Lower: 2.6 Vol %

Upper: 13.0 Vol %

· Vapor pressure at 20 °C (68 °F): 233.0 hPa (174.8 mm Hg)

· Specific gravity: 0.846

· Relative density

Not determined.

· Vapor density

Not determined.

· Evaporation rate

Not determined

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

(Contd. on page 6)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing Date 02/13/2020

Revision Number 7

Revision Date 02/13/2020

Trade name: 12742 (DC12742 SILAPRENE ADHESIVE)

(Contd. of page 5)

· Solvent content:
Organic solvents: Not available

Solids content: 29.0 %

· Other information

VOC: = 0.0 LBS/GAL

WEIGHT PER GALLON: = 7.04 LBS

*

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No further information is available.
- **Conditions to avoid** Heat, flames, sparks.
- **Incompatible materials:**
 - Reacts with oxidizing agents.
 - Reacts with acids.
 - Reacts with bases.
- **Hazardous decomposition products:**
 - Carbon monoxide and carbon dioxide
 - Nitrogen oxides

*

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

67-64-1 acetone

Oral	LD50	5,800 mg/kg (rat)
------	------	-------------------

Dermal	LD50	20,000 mg/kg (rabbit)
--------	------	-----------------------

· **Primary irritant effect:**

· **on the skin:** May irritate the skin.

· **on the eye:**

Causes serious eye irritation.

Vapors may be irritating to the eyes.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 7)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing Date 02/13/2020

Revision Number 7

Revision Date 02/13/2020

Trade name: 12742 (DC12742 SILAPRENE ADHESIVE)

(Contd. of page 6)

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

*

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Comply with current regulations.
- **Uncleaned packagings:**
- **Recommendation:** Comply with current regulations.

*

14 Transport information

· UN-Number	
· DOT, IMDG, IATA	UN1133
· UN proper shipping name	
· DOT	Adhesives
· IMDG, IATA	ADHESIVES
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
	
· Class	3 Flammable liquids

(Contd. on page 8)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing Date 02/13/2020

Revision Number 7

Revision Date 02/13/2020

Trade name: 12742 (DC12742 SILAPRENE ADHESIVE)

(Contd. of page 7)

· Label	3
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	.
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
· EMS Number:	F-E,S-D
· Stowage Category	B
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN 1133 ADHESIVES (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA), 3, II

15 Regulatory information
· Safety, health and environmental regulations/legislation specific for the substance or mixture
· Sara
· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.
· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
Please contact H.B. Fuller for more information regarding Proposition 65 on this product: reg.request@hbfuller.com .
· (DSL) Canada Domestic Substance List
All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.
· New Jersey Right-to-Know List:
67-64-1 acetone
· New Jersey Special Hazardous Substance List:
67-64-1 acetone
F3
· Pennsylvania Right-to-Know List:
67-64-1 acetone
· Pennsylvania Special Hazardous Substance List:
67-64-1 acetone
E
· Cancerogenity categories
· EPA (Environmental Protection Agency)
67-64-1 acetone
I

(Contd. on page 9)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing Date 02/13/2020

Revision Number 7

Revision Date 02/13/2020

Trade name: 12742 (DC12742 SILAPRENE ADHESIVE)

(Contd. of page 8)

· TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

A4

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· Department issuing SDS: Global Regulatory Department.

· Creation Date: 02/13/2020

· Date of preparation / last revision 02/13/2020 / 5

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

USA