

S A F E T Y D A T A S H E E T



3141 Clifty Drive • Madison, IN 47250

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

NAME: **CIP – 300X**

TYPE: Acidic Cleaner
PRODUCT # 243001

FOR INDUSTRIAL USE ONLY – KEEP OUT OF THE REACH OF CHILDREN

EMERGENCY RESPONSE INFORMATION:

CHEMTRIC	800-424-9300	24-Hour Service
Company Offices:	812-273-6000	Weekdays
PREPARED DATE:	11-18-16	PREPARED BY: Natalie Green

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification	Corrosive to Metals	Category 1	H290
	Acute Toxicity, Oral	Category 4	H302
	Skin Corrosion/Irritation	Category 1A	H314
	Serious Eye Damage/Eye Irritation	Category 1	H318

Signal Word

DANGER



Hazard Statements	H290 May be corrosive to metals. H302 Harmful if swallowed H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Precautionary Statements	P234 Keep only in original container. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash hands, forearms, and exposed areas thoroughly after handling P280 Wear eye protection, face protection, protective clothing, protective gloves. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower P304 + P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see Section 4). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P405 Store locked up. P406 Store in corrosive resistant container with a resistant inner liner. P501 Dispose of contents / container according to local, regional, national and international regulations.

SAFETY DATA SHEET

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	SYNONYM	CAS NO.	% BY WEIGHT
Nitric acid	Aquafortis	7697-37-2	20 - 30
Phosphoric acid	Orthophosphoric acid	7664-38-2	15 - 25

If Chemical Name/CAS No is "proprietary" and/or % By Weight is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret

SECTION 4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES:

EYES:	Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a physician.
SKIN:	Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a physician. Remove contaminated clothing and shoes. Do not put contaminated clothing and shoes back on. Wash clothing and shoes thoroughly in soap and water; rinse repeatedly in clean water and dry before reuse.
INGESTION:	Do NOT induce vomiting. Give water. Never give anything by mouth if the person is unconscious or if having convulsions. Call a physician.
INHALATION:	Remove subject to fresh air and get medical attention.
PRIMARY ROUTE(S) OF ENTRY:	Eyes, skin, inhalation, mucous membranes
MOST IMPORTANT SYMPTOMS / EFFECTS, ACUTE AND DELAYED:	
GENERAL:	Causes serious skin burns and eye damage.
EYE CONTACT:	Causes serious eye irritation.
SKIN CONTACT:	Corrosive. Causes burns.
INGESTION:	Harmful if swallowed.
INHALATION:	May cause nasal and respiratory irritation.
CHRONIC SYMPTOMS:	None expected under normal conditions of use.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

If you experience any of the symptoms / effects listed above seek medical advice.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:

Use extinguishing media as appropriate for surrounding fire.

SPECIFIC HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Product is not explosive, however this product reacts with most metals to release hydrogen gas which can form explosive mixtures with air. Hazardous reactions will not occur under normal conditions.

ADVICE FOR FIRE FIGHTERS:

Wear self-contained breathing apparatus with full face piece operated in positive pressure mode and full body protective clothing. Use water spray to keep containers cool. **Hazardous Combustion Products:** Nitrogen oxides, phosphorous oxides.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:

Avoid all contact with skin, eyes and clothing. Avoid breathing vapors. Wear nitrile rubber or neoprene gloves. Goggles and face shield necessary. Wear full protective acid resistant clothing. Use NIOSH / MSHA approved positive pressure self-contained breathing apparatus when any material is involved in a fire.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

Contain liquid spills with sand and absorb on soda ash. Dispose with solid waste. See Waste Disposal Method. Ventilate area. Do not discharge to sewers or waterways without proper treatment. Contact state and federal environment organizations if RQ is exceeded.

SAFETY DATA SHEET

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	Wear proper safety equipment when handling this product. Handle in accordance with good industrial hygiene and safety procedures.
CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES:	Normal for acidic materials. Store away from alkalis. Keep container closed when not in use. Always add acids to water; never add water to acids.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

CHEMICAL IDENTITY

Nitric acid

Phosphoric acid

CAS NO.

7697-37-2

OSHA PEL

2 ppm

ACGIH TLV

2 ppm

ENGINEERING CONTROLS:

Use good ventilation. Local exhaust is recommended if TLVs are exceeded.

INDIVIDUAL PROTECTION MEASURES:

Selection of personal protective equipment should be based upon the anticipated exposure and made in accordance with OSHA's Personal Protective Equipment Standard found in 29 CFR 1910 Subpart I. The following information may be used to assist in PPE selection.

RESPIRATORY PROTECTION:

In absence of proper environmental control, use NIOSH / MSHA approved inorganic acid vapor respirator for mists where airborne exposure is excessive.

SKIN PROTECTION:

Nitrile rubber, neoprene gloves. Rubber apron and rubber boots required. Other equipment as required to avoid contact.

EYE PROTECTION:

Goggles and face shield necessary.

GENERAL HYGIENE CONSIDERATIONS:

Eyewash facility and emergency shower should be in close proximity. Always wash hands after handling any chemical.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear, red liquid.
ODOR:	Mild acid
ODOR THRESHOLD:	Not available.
pH (100%):	0.3 – 0.5
MELTING POINT/FREEZING POINT	12°F.
INITIAL BOILING POINT AND BOILING RANGE	215°F (101°C)
FLASH POINT (METHOD USED)	Not available.
EVAPORATION RATE	Not available.
FLAMMABILITY (SOLID, GAS)	Not available.
UPPER/LOWER FLAMMABLE OR EXPLOSIVE LIMIT	Not available.
VAPOR PRESSURE	Not available.
VAPOR DENSITY	Greater than 1.0
SPECIFIC GRAVITY	1.22
SOLUBILITY IN WATER	Complete.
PARTITION COEFFICIENT: N-OCTANOL/WATER	Not available.
AUTO-IGNITION TEMPERATURE	Not available.
VISCOSITY, DYNAMIC	Not available.
DECOMPOSITION TEMPERATURE	Not available.
VISCOSITY	Not available.

SAFETY DATA SHEET

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY:	Hazardous reactions will not occur under normal conditions.
CHEMICAL STABILITY:	Contains an oxidizing material which may accelerate fire.
POSSIBILITY OF HAZARDOUS REACTIONS:	Hazardous polymerization will not occur.
CONDITIONS TO AVOID:	No data found.
INCOMPATIBLE MATERIALS:	Strong bases. Organic materials, Reducing agents. Metals, may be corrosive to metals. Sulfides, carbides, alcohols, and cyanides.
HAZARDOUS DECOMPOSITION PRODUCTS:	Nitrogen oxides, phosphorous oxides.

SECTION 11: TOXOLOGICAL INFORMATION

ACUTE TOXICITY:	Not classified
LD50 AND LC50 DATA:	Not available.
ROUTES OF EXPOSURE / SYMPTOMS	
EYES:	DANGER! Causes burns.
SKIN:	DANGER! Causes burns.
INGESTION:	WARNING! Harmful if swallowed.
INHALATION:	WARNING! May cause nasal and respiratory irritation.
GERM CELL MUTAGENICITY:	Not classified.
TERATOGENICITY:	Not available.
CHRONIC EFFECTS /	This material contains no ingredients above de minimus concentrations known or suspected to cause cancer.
CARCINOGENICITY:	
SPECIFIC TARGET ORGAN TOXICITY (Repeated exposure):	Not classified.
REPRODUCTIVE TOXICITY:	Not classified.
SPECIFIC TARGET ORGAN TOXICITY (Single exposure):	Not classified.
ASPIRATION HAZARD:	Not classified.
COMPONENT INFORMATION:	

Nitric acid	LD50 Oral Rat	Greater or equal to 90 ml/kg
	LC50 Inhalation Rat	260 mg/M ³
	LC50 Inhalation Rat	67 ppm NO ₂ / 4 hr

Phosphoric acid	LD50 Oral Rat	1530 mg/kg
-----------------	---------------	------------

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY	The ecotoxicity of this product is not known.
COMPONENT INFORMATION	
Nitric acid	Freshwater Fish Data: No data available. Invertebrate Toxicity Data: No data available

Phosphoric acid	Freshwater Fish Data: No data available. Invertebrate Toxicity Data: No data available
-----------------	---

PERSISTENCE AND DEGRADABILITY:	Not available.
BIOACCUMULATIVE POTENTIAL:	Bioaccumulation potential is low
MOBILITY IN SOIL:	Not available.
OTHER ADVERSE EFFECTS:	This material contains no hazardous air pollutants (HAPS).

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD	Normal for acidic wastes. May require pH adjustment for neutralization. Dispose in accordance with local, state and federal regulations.
------------------------------	--

SAFETY DATA SHEET

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME:	Corrosive liquid, acidic, inorganic, n.o.s. (contains nitric acid and phosphoric acid)
HAZARD CLASS:	8
IDENTIFICATION NUMBER:	UN3264
PACKING GROUP:	II
EMERGENCY RESPONSE GUIDE:	ERG #154

SECTION 15: REGULATORY INFORMATION

VOC: 0 pounds per gallon (0 grams per liter).
TSCA STATUS All ingredients are listed on the TSCA inventory.

CERCLA REPORTABLE QUANTITY
1,000 pounds for nitric acid (approximately 372 gallons).
5,000 pounds for phosphoric acid (approximately 2,022 gallons).

SARA 311 / 312 HAZARD CLASSES

<input checked="" type="checkbox"/>	ACUTE HEALTH
	FIRE
	SUDDEN RELEASE OF PRESSURE
	CHRONIC HEALTH
	REACTIVE

SARA 312 INFORMATION

Nitric acid is an extremely hazardous substances (EHS) under SARA. The threshold planning quantity is 1,000 pounds. Storage of more than 372 gallons would require filing a Tier 2 form.

SARA 313 INFORMATION

This material contains the following substances subject to the reporting requirements of Section 313 of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

CHEMICAL NAME

Nitric acid*

CATEGORY CODE

Not Applicable

CAS NUMBER

7697-37-2

% BY WEIGHT

25

*pH adjustment will generate a nitrate compound listed under Section 313 of SARA.

STATE REGULATORY INFORMATION

CALIFORNIA PROPOSITION 65

California has not identified the ingredients listed in Section 3 as known to cause cancer or reproductive toxicity.

SECTION 16: OTHER INFORMATION

SDS STATUS: Revised sections 2, and 16 on 11-18-16.

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

FOR INDUSTRIAL USE ONLY – KEEP OUT OF THE REACH OF CHILDREN